

Package ‘RcmdrPlugin.KMggplot2’

February 21, 2018

Type Package

Title R Commander Plug-in for Data Visualization with 'ggplot2'

Version 0.2-5

Author Triad sou. and Kengo NAGASHIMA

Maintainer Triad sou. <triadsou@gmail.com>

Depends R (>= 3.2.0), grid, Rcmdr (>= 2.4-1), ggplot2 (>= 2.2.1)

Imports stats, methods, utils, grDevices, graphics, ggthemes (>= 3.4.0), plyr (>= 1.8.4), RColorBrewer (>= 1.1-2), scales (>= 0.5.0), survival (>= 2.41-3), tcltk2 (>= 1.2-11)

Suggests extrafont, knitr, rmarkdown

Description A GUI front-end for 'ggplot2' supports Kaplan-Meier plot, histogram, Q-Q plot, box plot, errorbar plot, scatter plot, line chart, pie chart, bar chart, contour plot, and distribution plot.

License GPL-2

Collate 'aaa-package.r' 'geom-stepribbon.r' 'guiparts-aaa.r'
'guiparts-checkboxes.r' 'guiparts-radioboxes.r'
'guiparts-textfield.r' 'guiparts-textfields.r'
'guiparts-toolbox.r' 'guiparts-variableboxes.r' 'data-aaa.r'
'plot-aaa.r' 'plot-factorise.r' 'plot-gcont.r' 'plot-gbox.r'
'plot-gdiscbar.r' 'plot-gdist.r' 'plot-gkm.r' 'plot-ghist.r'
'plot-gline.r' 'plot-gpie.r' 'plot-gqq.r' 'plot-gscat.r'
'plot-gscatmat.r' 'theme-natrisk.r' 'theme-natrisk21.r'
'theme-natriskbg.r' 'theme-simple.r' 'theme-wsj2.r'
'util-gettextKmg2.r' 'util-ggsaveKmg2.r' 'util-lastcom.r'
'util-nonFactors.r' 'zzz.r'

RoxygenNote 5.0.1

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2018-02-21 08:27:29 UTC

R topics documented:

RcmdrPlugin.KMggplot2-package	4
back,gparts_base-method	4
checkboxes-class	5
checkError,plot_base-method	6
checkTheme,plot_base-method	6
checkVariable,plot_base-method	7
commandDoIt,plot_base-method	8
dataContour	8
dataKm	9
dataLine	10
factorize-class	11
front,checkboxes-method	12
front,radioboxes-method	13
front,textfield-method	14
front,textfields-method	14
front,toolbox-method	15
front,variableboxes-method	16
gbox-class	16
gcont-class	18
gdisbar-class	20
gdist-class	21
geom_stepribbon	23
getCoord,plot_base-method	25
getFacet,plot_base-method	25
getGeom,plot_base-method	26
getGgplot,plot_base-method	27
getHelp,plot_base-method	28
getMain,plot_base-method	28
getMessage,plot_base-method	29
getOpts,plot_base-method	30
getParms,plot_base-method	30
getPlot,plot_base-method	31
getScale,plot_base-method	32
gettextKmg2	32
getTheme,plot_base-method	33
getWindowTitle,plot_base-method	34
getXlab,plot_base-method	34
getYlab,plot_base-method	35
getZlab,plot_base-method	36
ggsaveKmg2	37
ghist-class	37
gkm-class	39
gline-class	41
gparts_base-class	42
gpie-class	43
gqq-class	45

gscat-class	46
gscatmat-class	48
lastcom	49
nonFactors	50
nonFactorsP	50
plotWindow,plot_base-method	51
plot_base-class	51
radioboxes-class	53
registRmlist,plot_base-method	54
removeRmlist,plot_base-method	54
savePlot,plot_base-method	55
setBack,plot_base-method	56
setDataframe,plot_base-method	56
setFront,plot_base-method	57
textfield-class	58
textfields-class	58
theme_natrisk	59
theme_natrisk21	60
theme_natriskbg	60
theme_simple	61
theme_wsj2	61
toolbox-class	62
variableboxes-class	63
windowBox	63
windowContour	64
windowDiscretebar	64
windowDistBeta	64
windowDistBinom	64
windowDistCauchy	65
windowDistChisq	65
windowDistExp	65
windowDistF	65
windowDistGamma	66
windowDistGeom	66
windowDistHyper	66
windowDistLnorm	66
windowDistLogis	67
windowDistNbinom	67
windowDistNorm	67
windowDistPois	67
windowDistT	68
windowDistUnif	68
windowDistWeibull	68
windowFactorize	68
windowHist	69
windowKM	69
windowLine	69
windowPie	69

windowQQ	70
windowScatter	70
windowScattermat	70

Index	71
--------------	-----------

RcmdrPlugin.KMggplot2-package

R Commander Plug-in for Data Visualization with 'ggplot2'

Description

A GUI front-end for 'ggplot2' supports Kaplan-Meier plot, histogram, Q-Q plot, box plot, errorbar plot, scatter plot, line chart, pie chart, bar chart, contour plot, and distribution plot.

Author(s)

Author: Triad sou. and Kengo NAGASHIMA Maintainer: Triad sou. <triadsou@gmail.com>

See Also

[Rcmdr](#), [ggplot2](#), [survfit](#), [RColorBrewer](#) [ggthemes](#)

back, gparts_base-method

The back Method for gparts_base Class

Description

back method places GUI grids for R-Commander windows.

Usage

```
## S4 method for signature 'gparts_base'
back(perline = 3)
```

Arguments

perline Integer; controls the number of per-line to GUI grids.

See Also

Other guiparts: [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

checkboxes-class	<i>Check Boxes Subclass</i>
------------------	-----------------------------

Description

checkboxes class is a subclass for GUI check box frame.

Details

This class is a subclass which make GUI check box frame.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

value: List of TclVar class object; values of the check box frame.

cbcheckboxes: tkwin class object; the check box frame.

Contains

gparts_base

Methods

back(perline = 3): back method for gparts_base class.

front(top, initValues, labels, title = "", right.buttons = FALSE): front method for checkboxes subclass.

See Also

Other guiparts: [back](#), [gparts_base-method](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

checkError,plot_base-method
Check Errors

Description

checkError method checks errors.

Usage

```
## S4 method for signature 'plot_base'
checkError(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

errorCode Boolean; the error code.

See Also

Other plot: [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

checkTheme,plot_base-method
Check Themes

Description

checkTheme method checks a theme index.

Usage

```
## S4 method for signature 'plot_base'
checkTheme(index)
```

Arguments

index Character; a theme index.

Value

theme Character; the theme name.

See Also

Other plot: [checkError,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

checkVariable,plot_base-method

Check Variable Length

Description

checkVariable method checks a variable length.

Usage

```
## S4 method for signature 'plot_base'
checkVariable(var)
```

Arguments

var Vector of Character; variable names.

Value

var Character; the fixed variable name.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#)

[getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

`commandDoIt`, `plot_base-method`

An Wrapper Function for Command Execution

Description

`commandDoIt` method gets the plot error message.

Usage

```
## S4 method for signature 'plot_base'
commandDoIt(command, log)
```

Arguments

<code>command</code>	String; command codes.
<code>log</code>	Boolean; use logger.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

`dataContour`

A Dummy Data for Contour Plots

Description

A Dummy Data for Contour Plots

Format

A data frame with 10000 observations on the following 3 variables.

x a x-axis variable

y a y-axis variable

z density

See Also

contour-class

Examples

```
# This data is generated by the code below:
# set.seed(5435678)
# dataContour <- data.frame(
#   x = (zx <- (rep(1:100, 100) - 5) / 2),
#   y = (zy <- (rep(1:100, each=100) - 5) / 2),
#   z = (z <- zx*zy)
# )
# save(dataContour, file = "dataContour.RData")
# try(data(dataContour, package = "RcmdrPlugin.KMggplot2"))
```

dataKm

A Dummy Data for Survival Analysis

Description

A Dummy Data for Survival Analysis

Format

A data frame with 200 observations on the following 8 variables.

time time from entry (months)

age age

height height

weight weight

event event variable (0: censor, 1: event)

trt treatment group (has three groups "Group-A", "Group-B", and "Group-C")

marker a biomarker level (has two groups "High", and "Low")

sex sex

See Also

km-class

Examples

```
# This data is generated by the code below:
# set.seed(5435678)
# age <- round(rnorm(200, 65, 10))
# height <- rep(c(170, 160), each = 50) + rnorm(200, 0, 6)
# weight <- rep(c(50, 45.5), each = 50) + 0.91 * (height - 152.4) + rnorm(200, 0, 7)
# event <- sample(c(0, 1), 200, rep = TRUE, prob = c(0.1, 0.9))
# trt <- factor(sample(c("Group-A", "Group-B", "Group-C"), 200, rep = TRUE))
# marker <- factor(sample(c("High", "Low"), 200, rep = TRUE, prob = c(0.3, 0.7)))
# sex <- factor(rep(c("M", "F"), each = 50))
# mu <- 10 + 0.1 * (age - 65) + as.numeric(sex) + as.numeric(marker) + 5 * (as.numeric(trt) - 2)
# time <- rgamma(200, mu, 1)
# time[time >= 20] <- 20
# event[time == 20] <- 0
# dataKm <- data.frame(time, age, height, weight, event, trt, marker, sex)
# save(dataKm, file = "dataKm.RData")
# try(data(dataKm, package = "RcmdrPlugin.KMggplot2"))
```

dataLine

A Dummy Data for Line Charts

Description

A Dummy Data for Line Charts

Format

A data frame with 144 observations on the following 5 variables.

date date

group a measurement group (has three groups "T", "H", and "L")

marker a biomarker level (has two groups "High", and "Low")

sex sex

y a measurement variable

See Also

line-class

Examples

```
# This data is generated by the code below:
# set.seed(5435678)
# date <- rep(seq(Sys.Date(), len = 12, by = "1 month"), each = 12)
# group <- rep(c("T", "H", "L"), 12, each = 4)
# marker <- factor(rep(c("High", "Low"), 36, each = 2))
# sex <- factor(rep(c("M", "F"), 72))
# mu <- rep(c(200, 50, 150), 12, each = 4) + 10 * as.numeric(sex) + 30 * as.numeric(marker)
```

```
# y <- rnorm(144, mu, 25)
# dataLine <- data.frame(date, group, marker, sex, y)
# save(dataLine, file = "dataLine.RData")
# try(data(dataLine, package = "RcmdrPlugin.KMggplot2"))
```

factorize-class	<i>Factorize Subclass</i>
-----------------	---------------------------

Description

factorize class is a subclass for factorizing numeric variables.

Details

This class is a subclass which show dialog boxes of a factorizer for graphics editing.

Fields

top: tkwin class object; parent of widget window.
 alternateFrame: tkwin class object; a special frame for some GUI parts.
 vbox1: variableboxes class object; the frame to select variables.
 rbbox1: radioboxes class object; the frame to set options.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
 savePlot(plot): Save the plot.
 registerMlist(object): Register deletable temporary objects.
 removeMlist(): Remove registered temporary objects.
 setFront(): Set front parts of frames.
 setBack(): Set back parts of frames.
 getWindowTitle(): Get the title of the window.
 getHelp(): Get the title of the help document.
 getParms(): Get graphics settings parameters.
 checkTheme(index): Check themes.
 checkVariable(var): Check a variable length.
 checkError(parms): Check errors.
 setDataframe(parms): Set data frames.
 getGgplot(parms): Get ggplot.

[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [gbox-class](#), [gcont-class](#), [gdisbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

front,checkboxes-method

The front Method for checkboxes Subclass

Description

The front Method for checkboxes Subclass

Usage

```
## S4 method for signature 'checkboxes'
front(top, initValues, labels, title = "", right.buttons = FALSE)
```

Arguments

top	tkwin class object; top of widget window.
initValues	List of integer; initialization values of check boxes.
labels	List of character; values of check boxes labels.
title	Character; the title of the check box frame.
right.buttons	Boolean; whether check boxes are right aligned or not.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front,radioboxes-method

The front Method for radioboxes Subclass

Description

The front Method for radioboxes Subclass

Usage

```
## S4 method for signature 'radioboxes'
front(top, labels, title = "", initValue = 1, right.buttons = FALSE)
```

Arguments

top	tkwin class object; top of widget window.
labels	List of character; values of radio boxes labels.
title	Character; the title of the radio box frame.
initValue	Integer; the initialization value of the radio box frame.
right.buttons	Boolean; whether radio boxes are right aligned or not.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front, textfield-method

The front Method for textfield Subclass

Description

The front Method for textfield Subclass

Usage

```
## S4 method for signature 'textfield'
front(top, initialValue, boxwidth, title)
```

Arguments

top	tkwin class object; top of widget window.
initialValue	Character; initialization values of the text field frame.
boxwidth	Integer; the size of the text field frame.
title	Character; the title of the text field frame.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front, textfields-method

The front Method for textfields Subclass

Description

The front Method for textfields Subclass

Usage

```
## S4 method for signature 'textfields'
front(top, initValues, titles, boxwidth = "20")
```

Arguments

top	tkwin class object; top of widget window.
initValues	List of character; initialization values of text fields.
titles	List of character; titles of text fields.
boxwidth	Character; size of text fields.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front, toolbox-method *The front Method for toolbox Subclass*

Description

The front Method for toolbox Subclass

Usage

```
## S4 method for signature 'toolbox'
front(top,
      showcolourbox = TRUE,
      fontSize = unlist(options("kmg2FontSize")),
      fontFamily = unlist(options("kmg2FontFamily")),
      colourSet = unlist(options("kmg2ColourSet")),
      saveGraph = unlist(options("kmg2SaveGraph")),
      themeBase = unlist(options("kmg2Theme")))
)
```

Arguments

top	tkwin class object; top of widget window.
showcolourbox	Boolean; whether the colour set frame is shown or not.
fontSize	Character; the initialization value of the font size.
fontFamily	Numeric; the initialization value of the font family.
colourSet	Numeric; the initialization value of the colour set.
saveGraph	Numeric; the initialization value of the save graph option.
themeBase	Numeric; the initialization value of the theme.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front,variableboxes-method

The front Method for variableboxes Subclass

Description

The front Method for variableboxes Subclass

Usage

```
## S4 method for signature 'variableboxes'  
front(top, types, titles, modes = "default")
```

Arguments

top	tkwin class object; top of widget window.
types	List of character; types of variableLists.
titles	List of character; titles of variable box frame.
modes	List of character; select modes.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

gbox-class

Box Plot Subclass

Description

gbox class is a subclass for box plots.

Details

This class is a subclass which show dialog boxes of box plots for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
vbbox2: variableboxes class object; the frame to select facet variables.
lbbox1: textfields class object; the frame to set axis labels and the main title.
rbbox1: radioboxes class object; the frame to set the plot type.
cbbox1: checkboxes class object; the frame to set options.
tbbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registRmlist(object): Register deletable temporary objects.
removeRmlist(): Remove registered temporary objects.
setFront(): Set front parts of frames.
setBack(): Set back parts of frames.
getWindowTitle(): Get the title of the window.
getHelp(): Get the title of the help document.
getParms(): Get graphics settings parameters.
checkTheme(index): Check themes.
checkVariable(var): Check a variable length.
checkError(parms): Check errors.
setDataframe(parms): Set data frames.
getGgplot(parms): Get ggplot.
getGeom(parms): Get geom.
getScale(parms): Get scale.
getCoord(parms): Get coord.
getFacet(parms): Get facet.
getXlab(parms): Get xlab.
getYlab(parms): Get ylab.
getZlab(parms): Get zlab.
getMain(parms): Get the main label.
getTheme(parms): Get theme.
getOpts(parms): Get other opts.
getPlot(parms): Get the plot object.
getMessage(): Get the plot error message.
commandDoIt(command): An wrapper function for command execution.

See Also

Other plot: [checkError](#), [plot_base-method](#), [checkTheme](#), [plot_base-method](#), [checkVariable](#), [plot_base-method](#), [commandDoIt](#), [plot_base-method](#), [factorize-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot_base-method](#), [getFacet](#), [plot_base-method](#), [getGeom](#), [plot_base-method](#), [getGgplot](#), [plot_base-method](#), [getHelp](#), [plot_base-method](#), [getMain](#), [plot_base-method](#), [getMessage](#), [plot_base-method](#), [getOpts](#), [plot_base-method](#), [getParms](#), [plot_base-method](#), [getPlot](#), [plot_base-method](#), [getScale](#), [plot_base-method](#), [getTheme](#), [plot_base-method](#), [getWindowTitle](#), [plot_base-method](#), [getXlab](#), [plot_base-method](#), [getYlab](#), [plot_base-method](#), [getZlab](#), [plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot_base-method](#), [plot_base-class](#), [registRmList](#), [plot_base-method](#), [removeRmList](#), [plot_base-method](#), [savePlot](#), [plot_base-method](#), [setBack](#), [plot_base-method](#), [setDataframe](#), [plot_base-method](#), [setFront](#), [plot_base-method](#)

gcont-class

Contour Plot Subclass

Description

gcont class is a subclass for contour plots.

Details

This class is a subclass which show dialog boxes of contour plots for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
vbbox2: variableboxes class object; the frame to select facet variables.
lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.
rbbox1: radioboxes class object; the frame to set the decoration type.
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registRmList(object): Register deletable temporary objects.
removeRmList(): Remove registered temporary objects.
setFront(): Set front parts of frames.

`setBack()`: Set back parts of frames.
`getWindowTitle()`: Get the title of the window.
`getHelp()`: Get the title of the help document.
`getParms()`: Get graphics settings parameters.
`checkTheme(index)`: Check themes.
`checkVariable(var)`: Check a variable length.
`checkError(parms)`: Check errors.
`setDataframe(parms)`: Set data frames.
`getGgplot(parms)`: Get ggplot.
`getGeom(parms)`: Get geom.
`getScale(parms)`: Get scale.
`getCoord(parms)`: Get coord.
`getFacet(parms)`: Get facet.
`getXlab(parms)`: Get xlab.
`getYlab(parms)`: Get ylab.
`getZlab(parms)`: Get zlab.
`getMain(parms)`: Get the main label.
`getTheme(parms)`: Get theme.
`getOpts(parms)`: Get other opts.
`getPlot(parms)`: Get the plot object.
`getMessage()`: Get the plot error message.
`commandDoIt(command)`: An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

`gdiscbar-class`*Discrete Bar Charts Subclass*

Description

`gdiscbar` class is a subclass for discrete bar charts.

Details

This class is a subclass which show dialog boxes of discrete bar charts for graphics editing.

Fields

`top`: `tkwin` class object; parent of widget window.

`alternateFrame`: `tkwin` class object; a special frame for some GUI parts.

`vbbox1`: `variableboxes` class object; the frame to select variables.

`vbbox2`: `variableboxes` class object; the frame to select facet variables.

`lbbox1`: `textfields` class object; the frame to set axis labels and the main title.

`rbbox1`: `radioboxes` class object; the frame to set the axis scaling.

`tbbox1`: `toolbox` class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

`plotWindow()`: Create the window that make plots.

`savePlot(plot)`: Save the plot.

`registRmList(object)`: Register deletable temporary objects.

`removeRmList()`: Remove registered temporary objects.

`setFront()`: Set front parts of frames.

`setBack()`: Set back parts of frames.

`getWindowTitle()`: Get the title of the window.

`getHelp()`: Get the title of the help document.

`getParms()`: Get graphics settings parameters.

`checkTheme(index)`: Check themes.

`checkVariable(var)`: Check a variable length.

`checkError(parms)`: Check errors.

`setDataframe(parms)`: Set data frames.

`getGgplot(parms)`: Get ggplot.

[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

gdist-class

Distribution Plot Subclass

Description

gdist class is a subclass for distribution plots.

Details

This class is a subclass which show dialog boxes of distribution plots for graphics editing.

Fields

`top`: tkwin class object; parent of widget window.
`alternateFrame`: tkwin class object; a special frame for some GUI parts.
`lbbox1`: textfields class object; the frame to set distribution parameters.
`lbbox2`: textfields class object; the frame to set axis labels, the legend label, and the main title.
`rbbox1`: radioboxes class object; the frame to set the function type.
`tbbox1`: toolbox class object; the frame to set the font, the colour set, other option, and the theme.
`windowTitle`: Character; the window title.
`distType`: Character; the distribution type ("discrete" or "continuous").
`distName`: Character; the distribution name.
`parmNames`: List of Characters; names of distribution parameters.
`parmInits`: List of Characters; initial values of distribution parameters.

Contains

NULL

Methods

`plotWindow()`: Create the window that make plots.
`savePlot(plot)`: Save the plot.
`registRmList(object)`: Register deletable temporary objects.
`removeRmList()`: Remove registered temporary objects.
`setFront()`: Set front parts of frames.
`setBack()`: Set back parts of frames.
`getWindowTitle()`: Get the title of the window.
`getHelp()`: Get the title of the help document.
`getParms()`: Get graphics settings parameters.
`checkTheme(index)`: Check themes.
`checkVariable(var)`: Check a variable length.
`checkError(parms)`: Check errors.
`setDataframe(parms)`: Set data frames.
`getGgplot(parms)`: Get ggplot.
`getGeom(parms)`: Get geom.
`getScale(parms)`: Get scale.
`getCoord(parms)`: Get coord.
`getFacet(parms)`: Get facet.
`getXlab(parms)`: Get xlab.
`getYlab(parms)`: Get ylab.

`getZlab(parms)`: Get zlab.
`getMain(parms)`: Get the main label.
`getTheme(parms)`: Get theme.
`getOpts(parms)`: Get other opts.
`getPlot(parms)`: Get the plot object.
`getMessage()`: Get the plot error message.
`commandDoIt(command)`: An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmlist, plot_base-method](#), [removeRmlist, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

geom_stepribbon	<i>Step ribbon plots.</i>
-----------------	---------------------------

Description

`geom_stepribbon` is an extension of the `geom_ribbon`, and is optimized for Kaplan-Meier plots with pointwise confidence intervals or a confidence band.

Usage

```

geom_stepribbon(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, kmpplot = FALSE, ...)
  
```

Arguments

mapping	Set of aesthetic mappings created by aes or aes_ . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot.</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify for which variables will be created.</p>

	A function will be called with a single argument, the plot data. The return value must be a <code>data.frame.</code> , and will be used as the layer data.
<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders</code> .
<code>kmplot</code>	If TRUE, missing values are replaced by the previous values. This option is needed to make Kaplan-Meier plots if the last observation has event, in which case the upper and lower values of the last observation are missing. This processing is optimized for results from the <code>survfit</code> function.
<code>...</code>	other arguments passed on to <code>layer</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>color = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.

Aesthetics

`geom_ribbon` understands the following aesthetics (required aesthetics are in bold):

- **x**
- **ymin**
- **ymax**
- alpha
- colour
- fill
- group
- linetype
- size

See Also

[geom_ribbon](#) `geom_stepribbon` inherits from `geom_ribbon`.

Examples

```
huron <- data.frame(year = 1875:1972, level = as.vector(LakeHuron))
h <- ggplot(huron, aes(year))
h + geom_stepribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_step(aes(y = level))
h + geom_ribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_line(aes(y = level))
```

```
getCoord,plot_base-method
      Get coord
```

Description

getCoord method gets coord.

Usage

```
## S4 method for signature 'plot_base'
getCoord(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

coord Character; a code snippet for coords.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

```
getFacet,plot_base-method
      Get facet
```

Description

getFacet method gets facet.

Usage

```
## S4 method for signature 'plot_base'
getFacet(parms)
```

Arguments

`parms` List of objects; graphics settings parameters.

Value

facet Character; a code snippet for the facet.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

`getGeom,plot_base-method`

Get geom

Description

`getGeom` method gets `geom`.

Usage

```
## S4 method for signature 'plot_base'
getGeom(parms)
```

Arguments

`parms` List of objects; graphics settings parameters.

Value

geom Character; a code snippet for geometric objects.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getGgplot,plot_base-method

Get ggplot

Description

getGgplot method gets ggplot.

Usage

```
## S4 method for signature 'plot_base'
getGgplot(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

ggplot Character; a code snippet for ggplot functions.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getHelp,plot_base-method

Get Help

Description

getHelp method gets the title of the help document.

Usage

```
## S4 method for signature 'plot_base'
getHelp()
```

Value

help Character; the title of the help document.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getMain,plot_base-method

Get Main Label

Description

getMain method gets the main label (graph title).

Usage

```
## S4 method for signature 'plot_base'
getMain(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

main Character; a code snippet for the main label.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getMessage,plot_base-method

Get Plot Error Message

Description

getMessage method gets the plot error message.

Usage

```
## S4 method for signature 'plot_base'
getMessage()
```

Value

message Character; the plot error message.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getOpts,plot_base-method
Get Other opts

Description

getOpts method gets other graph options.

Usage

```
## S4 method for signature 'plot_base'
getOpts(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

opts Character; a code snippet for other graph options.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getParms,plot_base-method
Get Graphics Parameters

Description

getParms method gets graphics settings parameters.

Usage

```
## S4 method for signature 'plot_base'
getParms()
```

Value

parms List of objects; graphics settings parameters.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getPlot,plot_base-method

Get Plot

Description

getPlot method gets the plot object.

Usage

```
## S4 method for signature 'plot_base'
getPlot(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

plot ggplot2 class object; the plot.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getScale, plot_base-method
Get scale

Description

getScale method gets scale.

Usage

```
## S4 method for signature 'plot_base'
getScale(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

scale Character; a code snippet for scales.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmlist, plot_base-method](#), [removeRmlist, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

gettextKmg2 *A gettextRcmdr Wrapper Function*

Description

This function is a gettextRcmdr wrapper function for this package.

Usage

```
gettextKmg2(...)
```


Arguments

... arguments passed to gettext function

See Also

[Rcmdr.Utilities](#)

getTheme,plot_base-method

Get theme

Description

getTheme method gets the graph theme.

Usage

```
## S4 method for signature 'plot_base'
getTheme(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

theme Character; a code snippet for the theme.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-m](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-metho](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-metho](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getWindowTitle,plot_base-method
Get Title

Description

getWindowTitle method gets the title of the window.

Usage

```
## S4 method for signature 'plot_base'
getWindowTitle()
```

Value

title Character; the title of the window.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getXlab,plot_base-method
Get xlab

Description

getXlab method gets the x-axis label.

Usage

```
## S4 method for signature 'plot_base'
getXlab(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

xlab Character; a code snippet for the x-axis label.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-m](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-metho](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

getYlab,plot_base-method

Get ylab

Description

getYlab method gets the y-axis label.

Usage

```
## S4 method for signature 'plot_base'
getYlab(parms)
```

Arguments

parms List of objects; graphics settings parameters.

Value

ylab Character; a code snippet for the y-axis label.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-m](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-metho](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#)

[removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

`getZlab,plot_base-method`
Get zlab

Description

`getZlab` method gets the label of the stratum.

Usage

```
## S4 method for signature 'plot_base'
getZlab(parms)
```

Arguments

`parms` List of objects; graphics settings parameters.

Value

zlab Character; a code snippet for the label of the stratum.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

Description

This is a modified function of ggsave for recordedplot class objects.

Usage

```
ggsaveKmg2(filename = default_name(plot), plot = last_plot(),
  device = default_device(filename), path = NULL, scale = 1,
  width = par("din")[1], height = par("din")[2], units = c("in", "cm",
  "mm"), dpi = 300, ...)
```

Arguments

filename	file name/filename of plot
plot	plot to save, defaults to last plot displayed
device	device to use, automatically extract from file name extension
path	path to save plot to (if you just want to set path and not filename)
scale	scaling factor
width	width (defaults to the width of current plotting window)
height	height (defaults to the height of current plotting window)
units	units for width and height when either one is explicitly specified (in, cm, or mm)
dpi	dpi to use for raster graphics
...	other arguments passed to graphics device

See Also

[ggsave](#)

Description

ghist class is a subclass for histograms.

Details

This class is a subclass which show dialog boxes of histograms for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
vbbox2: variableboxes class object; the frame to select facet variables.
vbbox3: variableboxes class object; the frame to set the no. of bins.
lbbox1: textfields class object; the frame to set axis labels and the main title.
rbbox1: radioboxes class object; the frame to set the axis scaling.
cbbox1: checkboxes class object; the frame to set options.
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registerRmlist(object): Register deletable temporary objects.
removeRmlist(): Remove registered temporary objects.
setFront(): Set front parts of frames.
setBack(): Set back parts of frames.
getWindowTitle(): Get the title of the window.
getHelp(): Get the title of the help document.
getParms(): Get graphics settings parameters.
checkTheme(index): Check themes.
checkVariable(var): Check a variable length.
checkError(parms): Check errors.
setDataframe(parms): Set data frames.
getGgplot(parms): Get ggplot.
getGeom(parms): Get geom.
getScale(parms): Get scale.
getCoord(parms): Get coord.
getFacet(parms): Get facet.
getXlab(parms): Get xlab.
getYlab(parms): Get ylab.
getZlab(parms): Get zlab.
getMain(parms): Get the main label.

getTheme(parms): Get theme.
 getOpts(parms): Get other opts.
 getPlot(parms): Get the plot object.
 getMessage(): Get the plot error message.
 commandDoIt(command): An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

gkm-class

Kaplan-Meier Plot Subclass

Description

gkm class is a subclass for Kaplan-Meier plots.

Details

This class is a subclass which show dialog boxes of Kaplan-Meier plots for graphics editing.

Fields

top: tkwin class object; parent of widget window.
 alternateFrame: tkwin class object; a special frame for some GUI parts.
 vbox1: variableboxes class object; the frame to select variables.
 vbox2: variableboxes class object; the frame to select facet variables.
 lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.
 lbbox2: textfields class object; the frame to set the tick count.
 rbbox1: radioboxes class object; the frame to set the plot type.
 cbbox1: checkboxes class object; the frame to set option(s).
 tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

`plotWindow()`: Create the window that make plots.
`savePlot(plot)`: Save the plot.
`registRmList(object)`: Register deletable temporary objects.
`removeRmList()`: Remove registered temporary objects.
`setFront()`: Set front parts of frames.
`setBack()`: Set back parts of frames.
`getWindowTitle()`: Get the title of the window.
`getHelp()`: Get the title of the help document.
`getParms()`: Get graphics settings parameters.
`checkTheme(index)`: Check themes.
`checkVariable(var)`: Check a variable length.
`checkError(parms)`: Check errors.
`setDataframe(parms)`: Set data frames.
`getGgplot(parms)`: Get ggplot.
`getGeom(parms)`: Get geom.
`getScale(parms)`: Get scale.
`getCoord(parms)`: Get coord.
`getFacet(parms)`: Get facet.
`getXlab(parms)`: Get xlab.
`getYlab(parms)`: Get ylab.
`getZlab(parms)`: Get zlab.
`getMain(parms)`: Get the main label.
`getTheme(parms)`: Get theme.
`getOpts(parms)`: Get other opts.
`getPlot(parms)`: Get the plot object.
`getMessage()`: Get the plot error message.
`commandDoIt(command)`: An wrapper function for command execution.

See Also

Other plot: [checkError](#), [plot_base-method](#), [checkTheme](#), [plot_base-method](#), [checkVariable](#), [plot_base-method](#), [commandDoIt](#), [plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot_base-method](#), [getFacet](#), [plot_base-method](#), [getGeom](#), [plot_base-method](#), [getGgplot](#), [plot_base-method](#), [getHelp](#), [plot_base-method](#), [getMain](#), [plot_base-method](#), [getMessage](#), [plot_base-method](#), [getOpts](#), [plot_base-method](#), [getParms](#), [plot_base-method](#), [getPlot](#), [plot_base-method](#), [getScale](#), [plot_base-method](#), [getTheme](#), [plot_base-method](#), [getWindowTitle](#), [plot_base-method](#), [getXlab](#), [plot_base-method](#), [getYlab](#), [plot_base-method](#), [getZlab](#), [plot_base-method](#), [ghist-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot_base-method](#), [plot_base-class](#), [registRmList](#), [plot_base-method](#), [removeRmList](#), [plot_base-method](#), [savePlot](#), [plot_base-method](#), [setBack](#), [plot_base-method](#), [setDataframe](#), [plot_base-method](#), [setFront](#), [plot_base-method](#)

gline-class

Line Chart Subclass

Description

gline class is a subclass for line charts.

Details

This class is a subclass which show dialog boxes of line charts for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
vbbox2: variableboxes class object; the frame to select facet variables.
lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.
rbbox1: radioboxes class object; the frame to set the plot type.
rbbox2: radioboxes class object; the frame to set the summary type.
rbbox3: radioboxes class object; the frame to set the scale type.
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registRmList(object): Register deletable temporary objects.
removeRmList(): Remove registered temporary objects.
setFront(): Set front parts of frames.
setBack(): Set back parts of frames.
getWindowTitle(): Get the title of the window.
getHelp(): Get the title of the help document.
getParms(): Get graphics settings parameters.
checkTheme(index): Check themes.
checkVariable(var): Check a variable length.
checkError(parms): Check errors.

[setDataframe\(parms\)](#): Set data frames.
[getGgplot\(parms\)](#): Get ggplot.
[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

[scale_date](#)

Other plot: [checkError](#), [plot_base-method](#), [checkTheme](#), [plot_base-method](#), [checkVariable](#), [plot_base-method](#), [commandDoIt](#), [plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot_base-method](#), [getFacet](#), [plot_base-method](#), [getGeom](#), [plot_base-method](#), [getGgplot](#), [plot_base-method](#), [getHelp](#), [plot_base-method](#), [getMain](#), [plot_base-method](#), [getMessage](#), [plot_base-method](#), [getOpts](#), [plot_base-method](#), [getParms](#), [plot_base-method](#), [getPlot](#), [plot_base-method](#), [getScale](#), [plot_base-method](#), [getTheme](#), [plot_base-method](#), [getWindowTitle](#), [plot_base-method](#), [getXlab](#), [plot_base-method](#), [getYlab](#), [plot_base-method](#), [getZlab](#), [plot_base-method](#), [ghist-class](#), [gkm-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot_base-method](#), [plot_base-class](#), [registRmlist](#), [plot_base-method](#), [removeRmlist](#), [plot_base-method](#), [savePlot](#), [plot_base-method](#), [setBack](#), [plot_base-method](#), [setDataframe](#), [plot_base-method](#), [setFront](#), [plot_base-method](#)

gparts_base-class *Base Class for GUI Frames*

Description

gparts_base class is the base class for GUI frames.

Details

This class is a framework for implementing subclasses which make GUI frames.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

Contains

NULL

Methods

back(perline = 3): back method for gparts_base class.

See Also

Other guiparts: [back](#), [gparts_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

gpie-class

Pie Charts Subclass

Description

gpie class is a subclass for pie charts.

Details

This class is a subclass which show dialog boxes of pie charts for graphics editing.

Fields

top: tkwin class object; parent of widget window.

alternateFrame: tkwin class object; a special frame for some GUI parts.

vbbox1: variableboxes class object; the frame to select variables.

vbbox2: variableboxes class object; the frame to select facet variables.

lbbox1: textfields class object; the frame to set axis labels and the main title.

tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

[plotWindow\(\)](#): Create the window that make plots.
[savePlot\(plot\)](#): Save the plot.
[registRmList\(object\)](#): Register deletable temporary objects.
[removeRmList\(\)](#): Remove registered temporary objects.
[setFront\(\)](#): Set front parts of frames.
[setBack\(\)](#): Set back parts of frames.
[getWindowTitle\(\)](#): Get the title of the window.
[getHelp\(\)](#): Get the title of the help document.
[getParms\(\)](#): Get graphics settings parameters.
[checkTheme\(index\)](#): Check themes.
[checkVariable\(var\)](#): Check a variable length.
[checkError\(parms\)](#): Check errors.
[setDataframe\(parms\)](#): Set data frames.
[getGgplot\(parms\)](#): Get ggplot.
[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

Other plot: [checkError](#), [plot_base-method](#), [checkTheme](#), [plot_base-method](#), [checkVariable](#), [plot_base-method](#), [commandDoIt](#), [plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot_base-method](#), [getFacet](#), [plot_base-method](#), [getGeom](#), [plot_base-method](#), [getGgplot](#), [plot_base-method](#), [getHelp](#), [plot_base-method](#), [getMain](#), [plot_base-method](#), [getMessage](#), [plot_base-method](#), [getOpts](#), [plot_base-method](#), [getParms](#), [plot_base-method](#), [getPlot](#), [plot_base-method](#), [getScale](#), [plot_base-method](#), [getTheme](#), [plot_base-method](#), [getWindowTitle](#), [plot_base-method](#), [getXlab](#), [plot_base-method](#), [getYlab](#), [plot_base-method](#), [getZlab](#), [plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot_base-method](#), [plot_base-class](#), [registRmList](#), [plot_base-method](#), [removeRmList](#), [plot_base-method](#), [savePlot](#), [plot_base-method](#), [setBack](#), [plot_base-method](#), [setDataframe](#), [plot_base-method](#), [setFront](#), [plot_base-method](#)

`gqq-class`*Q-Q Plot Subclass*

Description

`gqq` class is a subclass for Q-Q plots.

Details

This class is a subclass which show dialog boxes of Q-Q plots for graphics editing.

Fields

`top`: `tkwin` class object; parent of widget window.

`alternateFrame`: `tkwin` class object; a special frame for some GUI parts.

`vbbox1`: `variableboxes` class object; the frame to select variables.

`lbbbox1`: `textfields` class object; the frame to set axis labels, the legend label, and the main title.

`lbbbox2`: `textfields` class object; the frame to set other theoretical distribution.

`rbbox1`: `radioboxes` class object; the frame to set the theoretical distribution.

`tbbbox1`: `toolbox` class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

`plotWindow()`: Create the window that make plots.

`savePlot(plot)`: Save the plot.

`registRmList(object)`: Register deletable temporary objects.

`removeRmList()`: Remove registered temporary objects.

`setFront()`: Set front parts of frames.

`setBack()`: Set back parts of frames.

`getWindowTitle()`: Get the title of the window.

`getHelp()`: Get the title of the help document.

`getParms()`: Get graphics settings parameters.

`checkTheme(index)`: Check themes.

`checkVariable(var)`: Check a variable length.

`checkError(parms)`: Check errors.

`setDataframe(parms)`: Set data frames.

`getGgplot(parms)`: Get ggplot.

[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

`gscat-class`

Scatter Plot Subclass

Description

`gscat` class is a subclass for scatter plots.

Details

This class is a subclass which show dialog boxes of scatter plots for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
vbbox2: variableboxes class object; the frame to select facet variables.
lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.
rbbox1: radioboxes class object; the frame to set the smoothing type.
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registRmList(object): Register deletable temporary objects.
removeRmList(): Remove registered temporary objects.
setFront(): Set front parts of frames.
setBack(): Set back parts of frames.
getWindowTitle(): Get the title of the window.
getHelp(): Get the title of the help document.
getParms(): Get graphics settings parameters.
checkTheme(index): Check themes.
checkVariable(var): Check a variable length.
checkError(parms): Check errors.
setDataframe(parms): Set data frames.
getGgplot(parms): Get ggplot.
getGeom(parms): Get geom.
getScale(parms): Get scale.
getCoord(parms): Get coord.
getFacet(parms): Get facet.
getXlab(parms): Get xlab.
getYlab(parms): Get ylab.
getZlab(parms): Get zlab.
getMain(parms): Get the main label.
getTheme(parms): Get theme.
getOpts(parms): Get other opts.
getPlot(parms): Get the plot object.
getMessage(): Get the plot error message.
commandDoIt(command): An wrapper function for command execution.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

gscatmat-class

Scatter Plot Matrix Subclass

Description

gscatmat class is a subclass for a scatter plot matrix.

Details

This class is a subclass which show dialog boxes of a scatter plot matrix for graphics editing.

Fields

top: tkwin class object; parent of widget window.
alternateFrame: tkwin class object; a special frame for some GUI parts.
vbbox1: variableboxes class object; the frame to select variables.
lbbox1: textfields class object; the frame to set the main title.
rbbox1: radioboxes class object; the frame to set the smoothing type.
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

Contains

NULL

Methods

plotWindow(): Create the window that make plots.
savePlot(plot): Save the plot.
registRmList(object): Register deletable temporary objects.
removeRmList(): Remove registered temporary objects.
setFront(): Set front parts of frames.
setBack(): Set back parts of frames.

[getWindowTitle\(\)](#): Get the title of the window.
[getHelp\(\)](#): Get the title of the help document.
[getParms\(\)](#): Get graphics settings parameters.
[checkTheme\(index\)](#): Check themes.
[checkVariable\(var\)](#): Check a variable length.
[checkError\(parms\)](#): Check errors.
[setDataframe\(parms\)](#): Set data frames.
[getGgplot\(parms\)](#): Get ggplot.
[getGeom\(parms\)](#): Get geom.
[getScale\(parms\)](#): Get scale.
[getCoord\(parms\)](#): Get coord.
[getFacet\(parms\)](#): Get facet.
[getXlab\(parms\)](#): Get xlab.
[getYlab\(parms\)](#): Get ylab.
[getZlab\(parms\)](#): Get zlab.
[getMain\(parms\)](#): Get the main label.
[getTheme\(parms\)](#): Get theme.
[getOpts\(parms\)](#): Get other opts.
[getPlot\(parms\)](#): Get the plot object.
[getMessage\(\)](#): Get the plot error message.
[commandDoIt\(command\)](#): An wrapper function for command execution.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

lastcom

Listing the last command

Description

This function lists the last command is executed by `RcmdrPlugin.KMggplot2`

Usage

```
lastcom()
```

nonFactors

Select Non Factor Variables

Description

This is a function to select non-factor variables for the Rcmdr package.

Usage

```
nonFactors()
```

See Also

[Rcmdr.Utilities](#)

nonFactorsP

Check Non Factor Variables in The Active Dataset

Description

This is a function to check the active dataset has more than or equal to n non-factor variables.

Usage

```
nonFactorsP(n = 1)
```

Arguments

n Numeric: the target number of n.

Value

result Boolean; the active dataset has or does not have more than or equal to n non-factor variables.

See Also

[Rcmdr.Utilities](#)

 plotWindow,plot_base-method

Create Plot Window

Description

plotWindow method creates the window that make plots.

Usage

```
## S4 method for signature 'plot_base'
plotWindow()
```

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

 plot_base-class

Base Class for Plot Windows

Description

plot_base class is the base class for plot windows.

Details

This class is a framework for implementing subclasses which show dialog boxes for graphics editing.

Fields

top: tkwin class object; parent of widget window.

alternateFrame: tkwin class object; a special frame for some GUI parts.

rmList: List of character; deletable temporary objects.

mode: numeric; the executive mode (0 = justDoIt, 1 = doItAndPrint).

Contains

NULL

Methods

`plotWindow()`: Create the window that make plots.
`savePlot(plot)`: Save the plot.
`registRmList(object)`: Register deletable temporary objects.
`removeRmList()`: Remove registered temporary objects.
`setFront()`: Set front parts of frames.
`setBack()`: Set back parts of frames.
`getWindowTitle()`: Get the title of the window.
`getHelp()`: Get the title of the help document.
`getParms()`: Get graphics settings parameters.
`checkTheme(index)`: Check themes.
`checkVariable(var)`: Check a variable length.
`checkError(parms)`: Check errors.
`setDataframe(parms)`: Set data frames.
`getGgplot(parms)`: Get ggplot.
`getGeom(parms)`: Get geom.
`getScale(parms)`: Get scale.
`getCoord(parms)`: Get coord.
`getFacet(parms)`: Get facet.
`getXlab(parms)`: Get xlab.
`getYlab(parms)`: Get ylab.
`getZlab(parms)`: Get zlab.
`getMain(parms)`: Get the main label.
`getTheme(parms)`: Get theme.
`getOpts(parms)`: Get other opts.
`getPlot(parms)`: Get the plot object.
`getMessage()`: Get the plot error message.
`commandDoIt(command)`: An wrapper function for command execution.

See Also

Other plot: [checkError](#), [plot_base-method](#), [checkTheme](#), [plot_base-method](#), [checkVariable](#), [plot_base-method](#), [commandDoIt](#), [plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot_base-method](#), [getFacet](#), [plot_base-method](#), [getGeom](#), [plot_base-method](#), [getGgplot](#), [plot_base-method](#), [getHelp](#), [plot_base-method](#), [getMain](#), [plot_base-method](#), [getMessage](#), [plot_base-m](#), [getOpts](#), [plot_base-method](#), [getParms](#), [plot_base-method](#), [getPlot](#), [plot_base-method](#), [getScale](#), [plot_base-meth](#)

[getTheme](#), [plot_base-method](#), [getWindowTitle](#), [plot_base-method](#), [getXlab](#), [plot_base-method](#), [getYlab](#), [plot_base-method](#), [getZlab](#), [plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot_base-method](#), [registRmList](#), [plot_base-method](#), [removeRmList](#), [plot_base-method](#), [savePlot](#), [plot_base-method](#), [setBack](#), [plot_base-method](#), [setDataframe](#), [plot_base-method](#), [setFront](#), [plot_base-method](#)

radioboxes-class	<i>Radio Boxes Subclass</i>
------------------	-----------------------------

Description

radioboxes class is a subclass for GUI radio box frame.

Details

This class is a subclass which make GUI radio box frame.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

value: TclVar class object; the value of the radio box frame.

rbradioboxes: tkwin class object; the radio box frame.

Contains

`gparts_base`

Methods

back(perline = 3): back method for gparts_base class.

front(top, labels, title = "", initialValue = 1, right.buttons = FALSE): front method for radioboxes subclass.

See Also

Other `gui`parts: [back](#), [gparts_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts_base-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

 registRmlist,plot_base-method

Register Deletable Temporary Objects

Description

registRmlist method registers deletable temporary objects.

Usage

```
## S4 method for signature 'plot_base'
registRmlist(object)
```

Arguments

object Object; the deletable temporary object to register.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

 removeRmlist,plot_base-method

Remove Registered Temporary Objects

Description

removeRmlist method removes registered temporary objects.

Usage

```
## S4 method for signature 'plot_base'
removeRmlist()
```

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [savePlot, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

savePlot, plot_base-method

Save Plot

Description

savePlot method saves the plot.

Usage

```
## S4 method for signature 'plot_base'
savePlot(plot, useGgsave)
```

Arguments

plot	ggplot or recordedplot class object; the plot to save.
useGgsave	Boolean; use ggsave.

See Also

Other plot: [checkError, plot_base-method](#), [checkTheme, plot_base-method](#), [checkVariable, plot_base-method](#), [commandDoIt, plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot_base-method](#), [getFacet, plot_base-method](#), [getGeom, plot_base-method](#), [getGgplot, plot_base-method](#), [getHelp, plot_base-method](#), [getMain, plot_base-method](#), [getMessage, plot_base-method](#), [getOpts, plot_base-method](#), [getParms, plot_base-method](#), [getPlot, plot_base-method](#), [getScale, plot_base-method](#), [getTheme, plot_base-method](#), [getWindowTitle, plot_base-method](#), [getXlab, plot_base-method](#), [getYlab, plot_base-method](#), [getZlab, plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot_base-method](#), [plot_base-class](#), [registRmList, plot_base-method](#), [removeRmList, plot_base-method](#), [setBack, plot_base-method](#), [setDataframe, plot_base-method](#), [setFront, plot_base-method](#)

 setDataframe,plot_base-method

Set Back Parts

Description

setDataframe method sets back parts of frames.

Usage

```
## S4 method for signature 'plot_base'
setDataframe()
```

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-method](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-method](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmList,plot_base-method](#), [removeRmList,plot_base-method](#), [savePlot,plot_base-method](#), [setDataframe,plot_base-method](#), [setFront,plot_base-method](#)

 setDataframe,plot_base-method

Set Data Frames

Description

setDataframe method sets data frames.

Usage

```
## S4 method for signature 'plot_base'
setDataframe(parms)
```

Arguments

parms List of objects; graphics settings parameters.

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-m](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-meth](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setFront,plot_base-method](#)

setFront,plot_base-method

Set Front Parts

Description

setFront method sets front parts of frames.

Usage

```
## S4 method for signature 'plot_base'
setFront()
```

See Also

Other plot: [checkError,plot_base-method](#), [checkTheme,plot_base-method](#), [checkVariable,plot_base-method](#), [commandDoIt,plot_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot_base-method](#), [getFacet,plot_base-method](#), [getGeom,plot_base-method](#), [getGgplot,plot_base-method](#), [getHelp,plot_base-method](#), [getMain,plot_base-method](#), [getMessage,plot_base-m](#), [getOpts,plot_base-method](#), [getParms,plot_base-method](#), [getPlot,plot_base-method](#), [getScale,plot_base-meth](#), [getTheme,plot_base-method](#), [getWindowTitle,plot_base-method](#), [getXlab,plot_base-method](#), [getYlab,plot_base-method](#), [getZlab,plot_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot_base-method](#), [plot_base-class](#), [registRmlist,plot_base-method](#), [removeRmlist,plot_base-method](#), [savePlot,plot_base-method](#), [setBack,plot_base-method](#), [setDataframe,plot_base-method](#)

textfield-class	<i>Text Field Subclass</i>
-----------------	----------------------------

Description

textfield class is a subclass for GUI text field frame.

Details

This class is a subclass which make GUI text field frame.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

value: TclVar class object; the value of the text field frame.

Contains

gparts_base

Methods

back(perline = 3): back method for gparts_base class.

front(top, initialValue, boxwidth, title): front method for textfield subclass.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

textfields-class	<i>Multiple Text Fields Subclass</i>
------------------	--------------------------------------

Description

textfields class is a subclass for GUI multiple text fields frame.

Details

This class is a subclass which make GUI multiple text fields frame.

Fields

frame: tkwin class object; parent of widget window.
length: Integer; number of grids.
back_list: List of tkwin class object; list of grids.
fields: List of textfield class object; list of textfield.

Contains

gparts_base

Methods

back(perline = 3): back method for gparts_base class.
front(top, initialValues, titles, boxwidth = "20"): front method for textfields subclass.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [toolbox-class](#), [variableboxes-class](#)

theme_natrisk

A Theme for No of At Risk in Kaplan-Meier Plots

Description

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

Usage

```
theme_natrisk(base_theme, base_size = 20, base_family = "")
```

Arguments

base_theme	base theme name
base_size	base font size
base_family	font family name

See Also

[ggplot](#)

theme_natrisk21	<i>A Theme for No of At Risk in Kaplan-Meier Plots</i>
-----------------	--

Description

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

Usage

```
theme_natrisk21(base_theme, base_size = 20, base_family = "")
```

Arguments

base_theme	base theme name
base_size	base font size
base_family	font family name

See Also

[ggplot](#)

theme_natriskbg	<i>A Theme for No of At Risk in Kaplan-Meier Plots</i>
-----------------	--

Description

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

Usage

```
theme_natriskbg(base_theme, base_size = 20, base_family = "")
```

Arguments

base_theme	base theme name
base_size	base font size
base_family	font family name

See Also

[ggplot](#)

theme_simple	<i>A Simple Black and White Theme</i>
--------------	---------------------------------------

Description

A Simple Black and White Theme

Usage

```
theme_simple(base_size = 16, base_family = "")
```

Arguments

base_size	base font size
base_family	font family name

See Also

[ggplot](#)

theme_ws2	<i>A Wrapper Theme for ggthemes's theme_ws</i>
-----------	--

Description

A Wrapper Theme for ggthemes's theme_ws

Usage

```
theme_ws2(base_size = 16, base_family = "")
```

Arguments

base_size	base font size
base_family	font family name

See Also

[ggplot theme_ws](#)

`toolbox-class`*Tool Box Subclass*

Description

toolbox class is a subclass for GUI tool box frame.

Details

This class is a subclass which make GUI tool box frame.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

size: textfield class object; the value of the font size frame.

family: listbox class object; the value of the font family frame.

colour: listbox class object; the value of the colour set frame.

goption: checkboxes class object; values of other options frame.

theme: radioboxes class object; the value of the graph theme frame.

Contains

gparts_base

Methods

back(perline = 3): back method for gparts_base class.

front(top, showcolourbox = TRUE, fontSize = unlist(options("kmg2FontSize")), fontSize = unlist(options("kmg2FontSize"))): front method for toolbox subclass.

See Also

Other guiparts: [back](#), [gparts_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [variableboxes-class](#)

variableboxes-class	<i>Variable Boxes Subclass</i>
---------------------	--------------------------------

Description

variableboxes class is a subclass for GUI variable box frame.

Details

This class is a subclass which make GUI variable box frame.

Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back_list: List of tkwin class object; list of grids.

variable: List of listbox class object; variables of the variable box frame.

Contains

gparts_base

Methods

back(perline = 3): back method for gparts_base class.

front(top, types, titles, modes = "default"): front method for variableboxes subclass.

See Also

Other guiparts: [back,gparts_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#)

windowBox	<i>Wrapper Function of Box Plot Subclass</i>
-----------	--

Description

windowBox function is a wrapper function of gbox class for the R-commander menu bar.

Usage

windowBox()

windowContour	<i>Wrapper Function of Contour Plot Subclass</i>
---------------	--

Description

windowContour function is a wrapper function of gcont class for the R-commander menu bar.

Usage

```
windowContour()
```

windowDiscretebar	<i>Wrapper Function of Discrete Bar Charts Subclass</i>
-------------------	---

Description

windowDiscretebar function is a wrapper function of gdisbar class for the R-commander menu bar.

Usage

```
windowDiscretebar()
```

windowDistBeta	<i>Wrapper Function of Beta Distribution Plot Subclass</i>
----------------	--

Description

windowDistBeta function is a wrapper function of gdist class for the R-commander menu bar.

Usage

```
windowDistBeta()
```

windowDistBinom	<i>Wrapper Function of Binomial Distribution Plot Subclass</i>
-----------------	--

Description

windowDistBinom function is a wrapper function of gdist class for the R-commander menu bar.

Usage

```
windowDistBinom()
```

windowDistCauchy *Wrapper Function of Cauchy Distribution Plot Subclass*

Description

windowDistCauchy function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistCauchy()
```

windowDistChisq *Wrapper Function of Chi-square Distribution Plot Subclass*

Description

windowDistChisq function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistChisq()
```

windowDistExp *Wrapper Function of Exponential Distribution Plot Subclass*

Description

windowDistExp function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistExp()
```

windowDistF *Wrapper Function of F Distribution Plot Subclass*

Description

windowDistF function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistF()
```

windowDistGamma	<i>Wrapper Function of Gamma Distribution Plot Subclass</i>
-----------------	---

Description

windowDistGamma function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistGamma()
```

windowDistGeom	<i>Wrapper Function of Geometric Distribution Plot Subclass</i>
----------------	---

Description

windowDistGeom function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistGeom()
```

windowDistHyper	<i>Wrapper Function of Hypergeometric Distribution Plot Subclass</i>
-----------------	--

Description

windowDistHyper function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistHyper()
```

windowDistLnorm	<i>Wrapper Function of Log-normal Distribution Plot Subclass</i>
-----------------	--

Description

windowDistLnorm function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistLnorm()
```

windowDistLogis	<i>Wrapper Function of Logistic Distribution Plot Subclass</i>
-----------------	--

Description

windowDistLogis function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistLogis()
```

windowDistNbinom	<i>Wrapper Function of Negative Binomial Distribution Plot Subclass</i>
------------------	---

Description

windowDistNbinom function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistNbinom()
```

windowDistNorm	<i>Wrapper Function of Normal Distribution Plot Subclass</i>
----------------	--

Description

windowDistNorm function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistNorm()
```

windowDistPois	<i>Wrapper Function of Poisson Distribution Plot Subclass</i>
----------------	---

Description

windowDistPois function is a wrapper function of `gdist` class for the R-commander menu bar.

Usage

```
windowDistPois()
```

windowDistT	<i>Wrapper Function of t Distribution Plot Subclass</i>
-------------	---

Description

windowDistT function is a wrapper function of gdist class for the R-commander menu bar.

Usage

```
windowDistT()
```

windowDistUnif	<i>Wrapper Function of Uniform Distribution Plot Subclass</i>
----------------	---

Description

windowDistUnif function is a wrapper function of gdist class for the R-commander menu bar.

Usage

```
windowDistUnif()
```

windowDistWeibull	<i>Wrapper Function of Weibull Distribution Plot Subclass</i>
-------------------	---

Description

windowDistWeibull function is a wrapper function of gdist class for the R-commander menu bar.

Usage

```
windowDistWeibull()
```

windowFactorize	<i>Wrapper Function of Factorize Subclass</i>
-----------------	---

Description

windowFactorize function is a wrapper function of factorize class for the R-commander menu bar.

Usage

```
windowFactorize()
```

windowHist	<i>Wrapper Function of Histogram Subclass</i>
------------	---

Description

windowHist function is a wrapper function of ghist class for the R-commander menu bar.

Usage

```
windowHist()
```

windowKM	<i>Wrapper Function of Kaplan-Meier Plot Subclass</i>
----------	---

Description

windowKM function is a wrapper function of gkm class for the R-commander menu bar.

Usage

```
windowKM()
```

windowLine	<i>Wrapper Function of Line Chart Subclass</i>
------------	--

Description

windowScatter function is a wrapper function of gline class for the R-commander menu bar.

Usage

```
windowLine()
```

windowPie	<i>Wrapper Function of Pie Charts Subclass</i>
-----------	--

Description

windowPie function is a wrapper function of gpie class for the R-commander menu bar.

Usage

```
windowPie()
```

windowQQ	<i>Wrapper Function of Q-Q Plot Subclass</i>
----------	--

Description

windowQQ function is a wrapper function of gqq class for the R-commander menu bar.

Usage

```
windowQQ()
```

windowScatter	<i>Wrapper Function of Scatter Plot Subclass</i>
---------------	--

Description

windowScatter function is a wrapper function of gscat class for the R-commander menu bar.

Usage

```
windowScatter()
```

windowScattermat	<i>Wrapper Function of Scatter Plot Matrix Subclass</i>
------------------	---

Description

windowScattermat function is a wrapper function of gscatmat class for the R-commander menu bar.

Usage

```
windowScattermat()
```

Index

- *Topic **An**
 - plot_base-class, 51
- *Topic **Back**
 - plot_base-class, 51
- *Topic **Check**
 - plot_base-class, 51
- *Topic **Coord**
 - plot_base-class, 51
- *Topic **Error**
 - plot_base-class, 51
- *Topic **Facet**
 - plot_base-class, 51
- *Topic **Front**
 - plot_base-class, 51
- *Topic **Geom**
 - plot_base-class, 51
- *Topic **Get**
 - plot_base-class, 51
- *Topic **Ggplot**
 - plot_base-class, 51
- *Topic **Help**
 - plot_base-class, 51
- *Topic **List**
 - plot_base-class, 51
- *Topic **Main**
 - plot_base-class, 51
- *Topic **Message**
 - plot_base-class, 51
- *Topic **Opts**
 - plot_base-class, 51
- *Topic **Parameters**
 - plot_base-class, 51
- *Topic **Plot**
 - factorize-class, 11
 - plot_base-class, 51
- *Topic **Register**
 - plot_base-class, 51
- *Topic **Remove**
 - plot_base-class, 51
- *Topic **Save**
 - plot_base-class, 51
- *Topic **Scale**
 - plot_base-class, 51
- *Topic **Set**
 - plot_base-class, 51
- *Topic **Theme**
 - plot_base-class, 51
- *Topic **Title**
 - plot_base-class, 51
- *Topic **Windows**
 - factorize-class, 11
 - plot_base-class, 51
- *Topic **Window**
 - plot_base-class, 51
- *Topic **Xlab**
 - plot_base-class, 51
- *Topic **Ylab**
 - plot_base-class, 51
- *Topic **Zlab**
 - plot_base-class, 51
- *Topic **color**
 - theme_natrisk, 59
 - theme_natrisk21, 60
 - theme_natriskbg, 60
 - theme_simple, 61
 - theme_ws2, 61
- *Topic **command**
 - plot_base-class, 51
- *Topic **datasets**
 - geom_stepribbon, 23
- *Topic **data**
 - dataContour, 8
 - dataKm, 9
 - dataLine, 10
- *Topic **documentation**
 - gettextKmg2, 32
 - lastcom, 49
- *Topic **execution**

- plot_base-class, 51
- *Topic **for**
 - plot_base-class, 51
- *Topic **function**
 - plot_base-class, 51
- *Topic **hplot**
 - back, gparts_base-method, 4
 - checkboxes-class, 5
 - checkError, plot_base-method, 6
 - checkTheme, plot_base-method, 6
 - checkVariable, plot_base-method, 7
 - commandDoIt, plot_base-method, 8
 - factorize-class, 11
 - front, checkboxes-method, 12
 - front, radioboxes-method, 13
 - front, textfield-method, 14
 - front, textfields-method, 14
 - front, toolbox-method, 15
 - front, variableboxes-method, 16
 - gbox-class, 16
 - gcont-class, 18
 - gdisbar-class, 20
 - gdist-class, 21
 - getCoord, plot_base-method, 25
 - getFacet, plot_base-method, 25
 - getGeom, plot_base-method, 26
 - getGgplot, plot_base-method, 27
 - getHelp, plot_base-method, 28
 - getMain, plot_base-method, 28
 - getMessage, plot_base-method, 29
 - getOpts, plot_base-method, 30
 - getParms, plot_base-method, 30
 - getPlot, plot_base-method, 31
 - getScale, plot_base-method, 32
 - getTheme, plot_base-method, 33
 - getWindowTitle, plot_base-method, 34
 - getXlab, plot_base-method, 34
 - getYlab, plot_base-method, 35
 - getZlab, plot_base-method, 36
 - ggsaveKmg2, 37
 - ghist-class, 37
 - gkm-class, 39
 - gline-class, 41
 - gparts_base-class, 42
 - gpie-class, 43
 - gqq-class, 45
 - gscat-class, 46
 - gscatmat-class, 48
 - nonFactors, 50
 - nonFactorsP, 50
 - plot_base-class, 51
 - plotWindow, plot_base-method, 51
 - radioboxes-class, 53
 - RcmdrPlugin.KMggplot2-package, 4
 - registRmlist, plot_base-method, 54
 - removeRmlist, plot_base-method, 54
 - savePlot, plot_base-method, 55
 - setBack, plot_base-method, 56
 - setDataframe, plot_base-method, 56
 - setFront, plot_base-method, 57
 - textfield-class, 58
 - textfields-class, 58
 - toolbox-class, 62
 - variableboxes-class, 63
 - windowBox, 63
 - windowContour, 64
 - windowDiscretebar, 64
 - windowDistBeta, 64
 - windowDistBinom, 64
 - windowDistCauchy, 65
 - windowDistChisq, 65
 - windowDistExp, 65
 - windowDistF, 65
 - windowDistGamma, 66
 - windowDistGeom, 66
 - windowDistHyper, 66
 - windowDistLnorm, 66
 - windowDistLogis, 67
 - windowDistNbinom, 67
 - windowDistNorm, 67
 - windowDistPois, 67
 - windowDistT, 68
 - windowDistUnif, 68
 - windowDistWeibull, 68
 - windowFactorize, 68
 - windowHist, 69
 - windowKM, 69
 - windowLine, 69
 - windowPie, 69
 - windowQQ, 70
 - windowScatter, 70
 - windowScattermat, 70
- *Topic **length.**
 - plot_base-class, 51
- *Topic **list(data.frame)**

- plot_base-class, 51
- *Topic **list(rm())**
 - plot_base-class, 51
- *Topic **package**
 - RcmdrPlugin.KMggplot2-package, 4
- *Topic **themes.**
 - plot_base-class, 51
- *Topic **variable**
 - plot_base-class, 51
- *Topic **wrapper**
 - plot_base-class, 51
- aes, 23
- aes_, 23
- back, gparts_base-method, 4
- borders, 24
- checkboxes (checkboxes-class), 5
- checkboxes-class, 5
- checkError, plot_base-method, 6
- checkTheme, plot_base-method, 6
- checkVariable, plot_base-method, 7
- commandDoIt, plot_base-method, 8
- dataContour, 8
- dataKm, 9
- dataLine, 10
- factorize (factorize-class), 11
- factorize-class, 11
- fortify, 23
- front, checkboxes-method, 12
- front, radioboxes-method, 13
- front, textfield-method, 14
- front, textfields-method, 14
- front, toolbox-method, 15
- front, variableboxes-method, 16
- gbox (gbox-class), 16
- gbox-class, 16
- gcont (gcont-class), 18
- gcont-class, 18
- gdiscbar (gdiscbar-class), 20
- gdiscbar-class, 20
- gdist (gdist-class), 21
- gdist-class, 21
- geom_ribbon, 24
- geom_stepribbon, 23
- GeomStepribbon (geom_stepribbon), 23
- getCoord, plot_base-method, 25
- getFacet, plot_base-method, 25
- getGeom, plot_base-method, 26
- getGgplot, plot_base-method, 27
- getHelp, plot_base-method, 28
- getMain, plot_base-method, 28
- getMessage, plot_base-method, 29
- getOpts, plot_base-method, 30
- getParms, plot_base-method, 30
- getPlot, plot_base-method, 31
- getScale, plot_base-method, 32
- gettextKmg2, 32
- getTheme, plot_base-method, 33
- getWindowTitle, plot_base-method, 34
- getXlab, plot_base-method, 34
- getYlab, plot_base-method, 35
- getZlab, plot_base-method, 36
- ggplot, 23, 59–61
- ggplot2, 4
- ggsave, 37
- ggsaveKmg2, 37
- ggthemes, 4
- ghist (ghist-class), 37
- ghist-class, 37
- gkm (gkm-class), 39
- gkm-class, 39
- gline (gline-class), 41
- gline-class, 41
- gparts_base (gparts_base-class), 42
- gparts_base-class, 42
- gpie (gpie-class), 43
- gpie-class, 43
- gqq (gqq-class), 45
- gqq-class, 45
- gscat (gscat-class), 46
- gscat-class, 46
- gscatmat (gscatmat-class), 48
- gscatmat-class, 48
- KMggplot2
 - (RcmdrPlugin.KMggplot2-package), 4
- lastcom, 49
- layer, 24
- nonFactors, 50
- nonFactorsP, 50
- plot_base (plot_base-class), 51

plot_base-class, 51
 plotWindow, plot_base-method, 51

 radioboxes (radioboxes-class), 53
 radioboxes-class, 53
 Rcmdr, 4
 Rcmdr.Utilities, 33, 50
 RcmdrPlugin.KMggplot2
 (RcmdrPlugin.KMggplot2-package),
 4
 RcmdrPlugin.KMggplot2-package, 4
 RColorBrewer, 4
 registerRmlist, plot_base-method, 54
 removeRmlist, plot_base-method, 54

 savePlot, plot_base-method, 55
 scale_date, 42
 setBack, plot_base-method, 56
 setDataframe, plot_base-method, 56
 setFront, plot_base-method, 57
 survfit, 4

 textfield (textfield-class), 58
 textfield-class, 58
 textfields (textfields-class), 58
 textfields-class, 58
 theme_natrisk, 59
 theme_natrisk21, 60
 theme_natriskbg, 60
 theme_simple, 61
 theme_wsj, 61
 theme_wsj2, 61
 toolbox (toolbox-class), 62
 toolbox-class, 62

 variableboxes (variableboxes-class), 63
 variableboxes-class, 63

 windowBox, 63
 windowContour, 64
 windowDiscretebar, 64
 windowDistBeta, 64
 windowDistBinom, 64
 windowDistCauchy, 65
 windowDistChisq, 65
 windowDistExp, 65
 windowDistF, 65
 windowDistGamma, 66
 windowDistGeom, 66
 windowDistHyper, 66
 windowDistLnorm, 66
 windowDistLogis, 67
 windowDistNbinom, 67
 windowDistNorm, 67
 windowDistPois, 67
 windowDistT, 68
 windowDistUnif, 68
 windowDistWeibull, 68
 windowFactorize, 68
 windowHist, 69
 windowKM, 69
 windowLine, 69
 windowPie, 69
 windowQQ, 70
 windowScatter, 70
 windowScattermat, 70