

# Package ‘RcmdrPlugin.KMggplot2’

December 20, 2016

**Type** Package

**Title** R Commander Plug-in for Data Visualization with 'ggplot2'

**Version** 0.2-4

**Author** Triad sou. and Kengo NAGASHIMA

**Maintainer** Triad sou. <triadsou@gmail.com>

**Depends** R (>= 3.2.0), grid, Rcmdr (>= 2.3-1), ggplot2 (>= 2.2.0)

**Imports** stats, methods, utils, grDevices, graphics, ggthemes (>= 3.3.0), plyr (>= 1.8.4), RColorBrewer (>= 1.1-2), scales (>= 0.4.1), survival (>= 2.40-1), tcltk2 (>= 1.2-11)

**Suggests** extrafont, knitr, rmarkdown

**Description** A GUI front-end for 'ggplot2' supports Kaplan-Meier plot, histogram, Q-Q plot, box plot, errorbar plot, scatter plot, line chart, pie chart, bar chart, contour plot, and distribution plot.

**License** GPL-2

**Collate** 'aaa-package.r' 'geom-stepribbon.r' 'guiparts-aaa.r'  
'guiparts-checkboxes.r' 'guiparts-radioboxes.r'  
'guiparts-textfield.r' 'guiparts-textfields.r'  
'guiparts-toolbox.r' 'guiparts-variableboxes.r' 'data-aaa.r'  
'plot-aaa.r' 'plot-factorise.r' 'plot-gcont.r' 'plot-gbox.r'  
'plot-gdiscbar.r' 'plot-gdist.r' 'plot-gkm.r' 'plot-ghist.r'  
'plot-gline.r' 'plot-gpie.r' 'plot-gqq.r' 'plot-gscat.r'  
'plot-gscatmat.r' 'theme-natrisk.r' 'theme-natrisk21.r'  
'theme-natriskbg.r' 'theme-simple.r' 'theme-wsj2.r'  
'util-gettextKmg2.r' 'util-ggsaveKmg2.r' 'util-lastcom.r'  
'util-nonFactors.r' 'zzz.r'

**RoxygenNote** 5.0.1

**VignetteBuilder** knitr

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-12-20 08:16:05

**R topics documented:**

RcmdrPlugin.KMggplot2-package	4
back,gparts_base-method	4
checkboxes-class	5
checkError,plot_base-method	6
checkTheme,plot_base-method	6
checkVariable,plot_base-method	7
commandDoIt,plot_base-method	8
dataContour	8
dataKm	9
dataLine	10
factorize-class	11
front,checkboxes-method	12
front,radioboxes-method	13
front,textfield-method	14
front,textfields-method	14
front,toolbox-method	15
front,variableboxes-method	16
gbox-class	16
gcont-class	18
gdisbar-class	20
gdist-class	21
geom_stepribbon	23
getCoord,plot_base-method	25
getFacet,plot_base-method	25
getGeom,plot_base-method	26
getGgplot,plot_base-method	27
getHelp,plot_base-method	28
getMain,plot_base-method	28
getMessage,plot_base-method	29
getOpts,plot_base-method	30
getParms,plot_base-method	30
getPlot,plot_base-method	31
getScale,plot_base-method	32
gettextKmg2	32
getTheme,plot_base-method	33
getWindowTitle,plot_base-method	34
getXlab,plot_base-method	34
getYlab,plot_base-method	35
getZlab,plot_base-method	36
ggsaveKmg2	37
ghist-class	37
gkm-class	39
gline-class	41
gparts_base-class	42
gpie-class	43
gqq-class	45

gscat-class . . . . .	46
gscatmat-class . . . . .	48
lastcom . . . . .	49
nonFactors . . . . .	50
nonFactorsP . . . . .	50
plotWindow,plot_base-method . . . . .	51
plot_base-class . . . . .	51
radioboxes-class . . . . .	53
registRmlist,plot_base-method . . . . .	54
removeRmlist,plot_base-method . . . . .	54
savePlot,plot_base-method . . . . .	55
setBack,plot_base-method . . . . .	56
setDataframe,plot_base-method . . . . .	56
setFront,plot_base-method . . . . .	57
textfield-class . . . . .	58
textfields-class . . . . .	58
theme_natrisk . . . . .	59
theme_natrisk21 . . . . .	60
theme_natriskbg . . . . .	60
theme_simple . . . . .	61
theme_wsj2 . . . . .	61
toolbox-class . . . . .	62
variableboxes-class . . . . .	63
windowBox . . . . .	63
windowContour . . . . .	64
windowDiscretebar . . . . .	64
windowDistBeta . . . . .	64
windowDistBinom . . . . .	64
windowDistCauchy . . . . .	65
windowDistChisq . . . . .	65
windowDistExp . . . . .	65
windowDistF . . . . .	65
windowDistGamma . . . . .	66
windowDistGeom . . . . .	66
windowDistHyper . . . . .	66
windowDistLnorm . . . . .	66
windowDistLogis . . . . .	67
windowDistNbinom . . . . .	67
windowDistNorm . . . . .	67
windowDistPois . . . . .	67
windowDistT . . . . .	68
windowDistUnif . . . . .	68
windowDistWeibull . . . . .	68
windowFactorize . . . . .	68
windowHist . . . . .	69
windowKM . . . . .	69
windowLine . . . . .	69
windowPie . . . . .	69

windowQQ . . . . .	70
windowScatter . . . . .	70
windowScattermat . . . . .	70

<b>Index</b>	<b>71</b>
--------------	-----------

---

RcmdrPlugin.KMggplot2-package

*R Commander Plug-in for Data Visualization with 'ggplot2'*

---

### Description

A GUI front-end for 'ggplot2' supports Kaplan-Meier plot, histogram, Q-Q plot, box plot, errorbar plot, scatter plot, line chart, pie chart, bar chart, contour plot, and distribution plot.

### Author(s)

Author: Triad sou. and Kengo NAGASHIMA Maintainer: Triad sou. <triadsou@gmail.com>

### See Also

[Rcmdr](#), [ggplot2](#), [survfit](#), [RColorBrewer](#) [ggthemes](#)

---

back, gparts\_base-method

*The back Method for gparts\_base Class*

---

### Description

back method places GUI grids for R-Commander windows.

### Usage

```
## S4 method for signature 'gparts_base'
back(perline = 3)
```

### Arguments

perline            Integer; controls the number of per-line to GUI grids.

### See Also

Other guiparts: [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

checkboxes-class	<i>Check Boxes Subclass</i>
------------------	-----------------------------

---

### Description

checkboxes class is a subclass for GUI check box frame.

### Details

This class is a subclass which make GUI check box frame.

### Fields

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back\_list: List of tkwin class object; list of grids.

value: List of TclVar class object; values of the check box frame.

cbcheckboxes: tkwin class object; the check box frame.

### Contains

gparts\_base

### Methods

back(perline = 3): back method for gparts\_base class.

front(top, initValues, labels, title = "", right.buttons = FALSE): front method for checkboxes subclass.

### See Also

Other guiparts: [back](#), [gparts\\_base-method](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

checkError,plot\_base-method  
*Check Errors*

---

**Description**

checkError method checks errors.

**Usage**

```
## S4 method for signature 'plot_base'
checkError(parms)
```

**Arguments**

parms                   List of objects; graphics settings parameters.

**Value**

**errorCode** Boolean; the error code.

**See Also**

Other plot: [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

checkTheme,plot\_base-method  
*Check Themes*

---

**Description**

checkTheme method checks a theme index.

**Usage**

```
## S4 method for signature 'plot_base'
checkTheme(index)
```

**Arguments**

index                    Character; a theme index.

**Value**

**theme** Character; the theme name.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

checkVariable,plot\_base-method

*Check Variable Length*

---

**Description**

checkVariable method checks a variable length.

**Usage**

```
## S4 method for signature 'plot_base'
checkVariable(var)
```

**Arguments**

var                    Vector of Character; variable names.

**Value**

**var** Character; the fixed variable name.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#)

[getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

`commandDoIt`, `plot_base-method`

*An Wrapper Function for Command Execution*

---

### Description

`commandDoIt` method gets the plot error message.

### Usage

```
## S4 method for signature 'plot_base'
commandDoIt(command, log)
```

### Arguments

<code>command</code>	String; command codes.
<code>log</code>	Boolean; use logger.

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

`dataContour`

*A Dummy Data for Contour Plots*

---

### Description

A Dummy Data for Contour Plots



**Format**

A data frame with 10000 observations on the following 3 variables.

x a x-axis variable

y a y-axis variable

z density

**See Also**

contour-class

**Examples**

```
# This data is generated by the code below:
# set.seed(5435678)
# dataContour <- data.frame(
#   x = (zx <- (rep(1:100, 100) - 5) / 2),
#   y = (zy <- (rep(1:100, each=100) - 5) / 2),
#   z = (z <- zx*zy)
# )
# save(dataContour, file = "dataContour.RData")
# try(data(dataContour, package = "RcmdrPlugin.KMggplot2"))
```

---

dataKm

*A Dummy Data for Survival Analysis*

---

**Description**

A Dummy Data for Survival Analysis

**Format**

A data frame with 200 observations on the following 8 variables.

time time from entry (months)

age age

height height

weight weight

event event variable (0: censor, 1: event)

trt treatment group (has three groups "Group-A", "Group-B", and "Group-C")

marker a biomarker level (has two groups "High", and "Low")

sex sex

**See Also**

km-class

**Examples**

```
# This data is generated by the code below:
# set.seed(5435678)
# age <- round(rnorm(200, 65, 10))
# height <- rep(c(170, 160), each = 50) + rnorm(200, 0, 6)
# weight <- rep(c(50, 45.5), each = 50) + 0.91 * (height - 152.4) + rnorm(200, 0, 7)
# event <- sample(c(0, 1), 200, rep = TRUE, prob = c(0.1, 0.9))
# trt <- factor(sample(c("Group-A", "Group-B", "Group-C"), 200, rep = TRUE))
# marker <- factor(sample(c("High", "Low"), 200, rep = TRUE, prob = c(0.3, 0.7)))
# sex <- factor(rep(c("M", "F"), each = 50))
# mu <- 10 + 0.1 * (age - 65) + as.numeric(sex) + as.numeric(marker) + 5 * (as.numeric(trt) - 2)
# time <- rgamma(200, mu, 1)
# time[time >= 20] <- 20
# event[time == 20] <- 0
# dataKm <- data.frame(time, age, height, weight, event, trt, marker, sex)
# save(dataKm, file = "dataKm.RData")
# try(data(dataKm, package = "RcmdrPlugin.KMggplot2"))
```

---

dataLine

*A Dummy Data for Line Charts*


---

**Description**

A Dummy Data for Line Charts

**Format**

A data frame with 144 observations on the following 5 variables.

date date

group a measurement group (has three groups "T", "H", and "L")

marker a biomarker level (has two groups "High", and "Low")

sex sex

y a measurement variable

**See Also**

line-class

**Examples**

```
# This data is generated by the code below:
# set.seed(5435678)
# date <- rep(seq(Sys.Date(), len = 12, by = "1 month"), each = 12)
# group <- rep(c("T", "H", "L"), 12, each = 4)
# marker <- factor(rep(c("High", "Low"), 36, each = 2))
# sex <- factor(rep(c("M", "F"), 72))
# mu <- rep(c(200, 50, 150), 12, each = 4) + 10 * as.numeric(sex) + 30 * as.numeric(marker)
```

```
# y <- rnorm(144, mu, 25)
# dataLine <- data.frame(date, group, marker, sex, y)
# save(dataLine, file = "dataLine.RData")
# try(data(dataLine, package = "RcmdrPlugin.KMggplot2"))
```

---

factorize-class	<i>Factorize Subclass</i>
-----------------	---------------------------

---

## Description

factorize class is a subclass for factorizing numeric variables.

## Details

This class is a subclass which show dialog boxes of a factorizer for graphics editing.

## Fields

top: tkwin class object; parent of widget window.  
 alternateFrame: tkwin class object; a special frame for some GUI parts.  
 vbox1: variableboxes class object; the frame to select variables.  
 rbbox1: radioboxes class object; the frame to set options.

## Contains

NULL

## Methods

plotWindow(): Create the window that make plots.  
 savePlot(plot): Save the plot.  
 registerMlist(object): Register deletable temporary objects.  
 removeMlist(): Remove registered temporary objects.  
 setFront(): Set front parts of frames.  
 setBack(): Set back parts of frames.  
 getWindowTitle(): Get the title of the window.  
 getHelp(): Get the title of the help document.  
 getParms(): Get graphics settings parameters.  
 checkTheme(index): Check themes.  
 checkVariable(var): Check a variable length.  
 checkError(parms): Check errors.  
 setDataframe(parms): Set data frames.  
 getGgplot(parms): Get ggplot.

[getGeom\(parms\)](#): Get geom.  
[getScale\(parms\)](#): Get scale.  
[getCoord\(parms\)](#): Get coord.  
[getFacet\(parms\)](#): Get facet.  
[getXlab\(parms\)](#): Get xlab.  
[getYlab\(parms\)](#): Get ylab.  
[getZlab\(parms\)](#): Get zlab.  
[getMain\(parms\)](#): Get the main label.  
[getTheme\(parms\)](#): Get theme.  
[getOpts\(parms\)](#): Get other opts.  
[getPlot\(parms\)](#): Get the plot object.  
[getMessage\(\)](#): Get the plot error message.  
[commandDoIt\(command\)](#): An wrapper function for command execution.

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [gbox-class](#), [gcont-class](#), [gdisbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

front,checkboxes-method

*The front Method for checkboxes Subclass*

---

### Description

The front Method for checkboxes Subclass

### Usage

```
## S4 method for signature 'checkboxes'
front(top, initValues, labels, title = "", right.buttons = FALSE)
```

**Arguments**

top	tkwin class object; top of widget window.
initValues	List of integer; initialization values of check boxes.
labels	List of character; values of check boxes labels.
title	Character; the title of the check box frame.
right.buttons	Boolean; whether check boxes are right aligned or not.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

front,radioboxes-method

*The front Method for radioboxes Subclass*

---

**Description**

The front Method for radioboxes Subclass

**Usage**

```
## S4 method for signature 'radioboxes'
front(top, labels, title = "", initValue = 1, right.buttons = FALSE)
```

**Arguments**

top	tkwin class object; top of widget window.
labels	List of character; values of radio boxes labels.
title	Character; the title of the radio box frame.
initValue	Integer; the initialization value of the radio box frame.
right.buttons	Boolean; whether radio boxes are right aligned or not.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

front, textfield-method

*The front Method for textfield Subclass*

---

### Description

The front Method for textfield Subclass

### Usage

```
## S4 method for signature 'textfield'
front(top, initialValue, boxwidth, title)
```

### Arguments

top	tkwin class object; top of widget window.
initialValue	Character; initialization values of the text field frame.
boxwidth	Integer; the size of the text field frame.
title	Character; the title of the text field frame.

### See Also

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

front, textfields-method

*The front Method for textfields Subclass*

---

### Description

The front Method for textfields Subclass

### Usage

```
## S4 method for signature 'textfields'
front(top, initValues, titles, boxwidth = "20")
```

### Arguments

top	tkwin class object; top of widget window.
initValues	List of character; initialization values of text fields.
titles	List of character; titles of text fields.
boxwidth	Character; size of text fields.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

front, toolbox-method    *The front Method for toolbox Subclass*

---

**Description**

The front Method for toolbox Subclass

**Usage**

```
## S4 method for signature 'toolbox'
front(top,
      showcolourbox = TRUE,
      fontSize = unlist(options("kmg2FontSize")),
      fontFamily = unlist(options("kmg2FontFamily")),
      colourSet = unlist(options("kmg2ColourSet")),
      saveGraph = unlist(options("kmg2SaveGraph")),
      themeBase = unlist(options("kmg2Theme")))
)
```

**Arguments**

top	tkwin class object; top of widget window.
showcolourbox	Boolean; whether the colour set frame is shown or not.
fontSize	Character; the initialization value of the font size.
fontFamily	Numeric; the initialization value of the font family.
colourSet	Numeric; the initialization value of the colour set.
saveGraph	Numeric; the initialization value of the save graph option.
themeBase	Numeric; the initialization value of the theme.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

front,variableboxes-method

*The front Method for variableboxes Subclass*

---

### **Description**

The front Method for variableboxes Subclass

### **Usage**

```
## S4 method for signature 'variableboxes'  
front(top, types, titles, modes = "default")
```

### **Arguments**

top	tkwin class object; top of widget window.
types	List of character; types of variableLists.
titles	List of character; titles of variable box frame.
modes	List of character; select modes.

### **See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

gbox-class

*Box Plot Subclass*

---

### **Description**

gbox class is a subclass for box plots.

### **Details**

This class is a subclass which show dialog boxes of box plots for graphics editing.



**Fields**

top: tkwin class object; parent of widget window.  
alternateFrame: tkwin class object; a special frame for some GUI parts.  
vbbox1: variableboxes class object; the frame to select variables.  
vbbox2: variableboxes class object; the frame to select facet variables.  
lbbox1: textfields class object; the frame to set axis labels and the main title.  
rbbox1: radioboxes class object; the frame to set the plot type.  
cbbox1: checkboxes class object; the frame to set options.  
tbbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

plotWindow(): Create the window that make plots.  
savePlot(plot): Save the plot.  
registRmlist(object): Register deletable temporary objects.  
removeRmlist(): Remove registered temporary objects.  
setFront(): Set front parts of frames.  
setBack(): Set back parts of frames.  
getWindowTitle(): Get the title of the window.  
getHelp(): Get the title of the help document.  
getParms(): Get graphics settings parameters.  
checkTheme(index): Check themes.  
checkVariable(var): Check a variable length.  
checkError(parms): Check errors.  
setDataframe(parms): Set data frames.  
getGgplot(parms): Get ggplot.  
getGeom(parms): Get geom.  
getScale(parms): Get scale.  
getCoord(parms): Get coord.  
getFacet(parms): Get facet.  
getXlab(parms): Get xlab.  
getYlab(parms): Get ylab.  
getZlab(parms): Get zlab.  
getMain(parms): Get the main label.  
getTheme(parms): Get theme.  
getOpts(parms): Get other opts.  
getPlot(parms): Get the plot object.  
getMessage(): Get the plot error message.  
commandDoIt(command): An wrapper function for command execution.

**See Also**

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

gcont-class

*Contour Plot Subclass*


---

**Description**

gcont class is a subclass for contour plots.

**Details**

This class is a subclass which show dialog boxes of contour plots for graphics editing.

**Fields**

top: tkwin class object; parent of widget window.  
alternateFrame: tkwin class object; a special frame for some GUI parts.  
vbbox1: variableboxes class object; the frame to select variables.  
vbbox2: variableboxes class object; the frame to select facet variables.  
lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.  
rbbox1: radioboxes class object; the frame to set the decoration type.  
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

plotWindow(): Create the window that make plots.  
savePlot(plot): Save the plot.  
registRmList(object): Register deletable temporary objects.  
removeRmList(): Remove registered temporary objects.  
setFront(): Set front parts of frames.

`setBack()`: Set back parts of frames.  
`getWindowTitle()`: Get the title of the window.  
`getHelp()`: Get the title of the help document.  
`getParms()`: Get graphics settings parameters.  
`checkTheme(index)`: Check themes.  
`checkVariable(var)`: Check a variable length.  
`checkError(parms)`: Check errors.  
`setDataframe(parms)`: Set data frames.  
`getGgplot(parms)`: Get ggplot.  
`getGeom(parms)`: Get geom.  
`getScale(parms)`: Get scale.  
`getCoord(parms)`: Get coord.  
`getFacet(parms)`: Get facet.  
`getXlab(parms)`: Get xlab.  
`getYlab(parms)`: Get ylab.  
`getZlab(parms)`: Get zlab.  
`getMain(parms)`: Get the main label.  
`getTheme(parms)`: Get theme.  
`getOpts(parms)`: Get other opts.  
`getPlot(parms)`: Get the plot object.  
`getMessage()`: Get the plot error message.  
`commandDoIt(command)`: An wrapper function for command execution.

### See Also

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmlist](#), [plot\\_base-method](#), [removeRmlist](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

`gdiscbar-class`*Discrete Bar Charts Subclass*

---

**Description**

`gdiscbar` class is a subclass for discrete bar charts.

**Details**

This class is a subclass which show dialog boxes of discrete bar charts for graphics editing.

**Fields**

`top`: `tkwin` class object; parent of widget window.

`alternateFrame`: `tkwin` class object; a special frame for some GUI parts.

`vbbox1`: `variableboxes` class object; the frame to select variables.

`vbbox2`: `variableboxes` class object; the frame to select facet variables.

`lbbox1`: `textfields` class object; the frame to set axis labels and the main title.

`rbbox1`: `radioboxes` class object; the frame to set the axis scaling.

`tbbox1`: `toolbox` class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

`plotWindow()`: Create the window that make plots.

`savePlot(plot)`: Save the plot.

`registRmList(object)`: Register deletable temporary objects.

`removeRmList()`: Remove registered temporary objects.

`setFront()`: Set front parts of frames.

`setBack()`: Set back parts of frames.

`getWindowTitle()`: Get the title of the window.

`getHelp()`: Get the title of the help document.

`getParms()`: Get graphics settings parameters.

`checkTheme(index)`: Check themes.

`checkVariable(var)`: Check a variable length.

`checkError(parms)`: Check errors.

`setDataframe(parms)`: Set data frames.

`getGgplot(parms)`: Get ggplot.

[getGeom\(parms\)](#): Get geom.  
[getScale\(parms\)](#): Get scale.  
[getCoord\(parms\)](#): Get coord.  
[getFacet\(parms\)](#): Get facet.  
[getXlab\(parms\)](#): Get xlab.  
[getYlab\(parms\)](#): Get ylab.  
[getZlab\(parms\)](#): Get zlab.  
[getMain\(parms\)](#): Get the main label.  
[getTheme\(parms\)](#): Get theme.  
[getOpts\(parms\)](#): Get other opts.  
[getPlot\(parms\)](#): Get the plot object.  
[getMessage\(\)](#): Get the plot error message.  
[commandDoIt\(command\)](#): An wrapper function for command execution.

### See Also

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdist-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getScale, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmlist, plot\\_base-method](#), [removeRmlist, plot\\_base-method](#), [savePlot, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

gdist-class

*Distribution Plot Subclass*

---

### Description

gdist class is a subclass for distribution plots.

### Details

This class is a subclass which show dialog boxes of distribution plots for graphics editing.

**Fields**

`top`: tkwin class object; parent of widget window.  
`alternateFrame`: tkwin class object; a special frame for some GUI parts.  
`lbbox1`: textfields class object; the frame to set distribution parameters.  
`lbbox2`: textfields class object; the frame to set axis labels, the legend label, and the main title.  
`rbbox1`: radioboxes class object; the frame to set the function type.  
`tbbox1`: toolbox class object; the frame to set the font, the colour set, other option, and the theme.  
`windowTitle`: Character; the window title.  
`distType`: Character; the distribution type ("discrete" or "continuous").  
`distName`: Character; the distribution name.  
`parmNames`: List of Characters; names of distribution parameters.  
`parmInits`: List of Characters; initial values of distribution parameters.

**Contains**

NULL

**Methods**

`plotWindow()`: Create the window that make plots.  
`savePlot(plot)`: Save the plot.  
`registRmList(object)`: Register deletable temporary objects.  
`removeRmList()`: Remove registered temporary objects.  
`setFront()`: Set front parts of frames.  
`setBack()`: Set back parts of frames.  
`getWindowTitle()`: Get the title of the window.  
`getHelp()`: Get the title of the help document.  
`getParms()`: Get graphics settings parameters.  
`checkTheme(index)`: Check themes.  
`checkVariable(var)`: Check a variable length.  
`checkError(parms)`: Check errors.  
`setDataframe(parms)`: Set data frames.  
`getGgplot(parms)`: Get ggplot.  
`getGeom(parms)`: Get geom.  
`getScale(parms)`: Get scale.  
`getCoord(parms)`: Get coord.  
`getFacet(parms)`: Get facet.  
`getXlab(parms)`: Get xlab.  
`getYlab(parms)`: Get ylab.

`getZlab(parms)`: Get zlab.  
`getMain(parms)`: Get the main label.  
`getTheme(parms)`: Get theme.  
`getOpts(parms)`: Get other opts.  
`getPlot(parms)`: Get the plot object.  
`getMessage()`: Get the plot error message.  
`commandDoIt(command)`: An wrapper function for command execution.

### See Also

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getScale, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmlist, plot\\_base-method](#), [removeRmlist, plot\\_base-method](#), [savePlot, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

geom_stepribbon	<i>Step ribbon plots.</i>
-----------------	---------------------------

---

### Description

`geom_stepribbon` is an extension of the `geom_ribbon`, and is optimized for Kaplan-Meier plots with pointwise confidence intervals or a confidence band.

### Usage

```

geom_stepribbon(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, kmpplot = FALSE, ...)
  
```

### Arguments

mapping	Set of aesthetic mappings created by <a href="#">aes</a> or <a href="#">aes_</a> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <a href="#">ggplot</a> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <a href="#">fortify</a> for which variables will be created.

	A function will be called with a single argument, the plot data. The return value must be a <code>data.frame.</code> , and will be used as the layer data.
<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders</code> .
<code>kmplot</code>	If TRUE, missing values are replaced by the previous values. This option is needed to make Kaplan-Meier plots if the last observation has event, in which case the upper and lower values of the last observation are missing. This processing is optimized for results from the <code>survfit</code> function.
<code>...</code>	other arguments passed on to <code>layer</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>color = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .

## Aesthetics

`geom_ribbon` understands the following aesthetics (required aesthetics are in bold):

- **x**
- **ymin**
- **ymax**
- alpha
- colour
- fill
- group
- linetype
- size

## See Also

[geom\\_ribbon](#) `geom_stepribbon` inherits from `geom_ribbon`.

## Examples

```
huron <- data.frame(year = 1875:1972, level = as.vector(LakeHuron))
h <- ggplot(huron, aes(year))
h + geom_stepribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_step(aes(y = level))
h + geom_ribbon(aes(ymin = level - 1, ymax = level + 1), fill = "grey70") +
  geom_line(aes(y = level))
```



---

```
getCoord,plot_base-method
      Get coord
```

---

**Description**

getCoord method gets coord.

**Usage**

```
## S4 method for signature 'plot_base'
getCoord(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**coord** Character; a code snippet for coords.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

```
getFacet,plot_base-method
      Get facet
```

---

**Description**

getFacet method gets facet.

**Usage**

```
## S4 method for signature 'plot_base'
getFacet(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**facet** Character; a code snippet for the facet.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

`getGeom,plot_base-method`

*Get geom*

---

**Description**

`getGeom` method gets `geom`.

**Usage**

```
## S4 method for signature 'plot_base'
getGeom(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**geom** Character; a code snippet for geometric objects.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getGgplot,plot\_base-method

*Get ggplot*

---

**Description**

getGgplot method gets ggplot.

**Usage**

```
## S4 method for signature 'plot_base'
getGgplot(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**ggplot** Character; a code snippet for ggplot functions.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getHelp,plot\_base-method

*Get Help*

---

### Description

getHelp method gets the title of the help document.

### Usage

```
## S4 method for signature 'plot_base'
getHelp()
```

### Value

**help** Character; the title of the help document.

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getMain,plot\_base-method

*Get Main Label*

---

### Description

getMain method gets the main label (graph title).

### Usage

```
## S4 method for signature 'plot_base'
getMain(parms)
```

### Arguments

parms                   List of objects; graphics settings parameters.

**Value**

**main** Character; a code snippet for the main label.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getMessage,plot\_base-method

*Get Plot Error Message*

---

**Description**

getMessage method gets the plot error message.

**Usage**

```
## S4 method for signature 'plot_base'
getMessage()
```

**Value**

**message** Character; the plot error message.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getOpts,plot\_base-method  
*Get Other opts*

---

**Description**

getOpts method gets other graph options.

**Usage**

```
## S4 method for signature 'plot_base'
getOpts(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**opts** Character; a code snippet for other graph options.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getParms,plot\_base-method  
*Get Graphics Parameters*

---

**Description**

getParms method gets graphics settings parameters.

**Usage**

```
## S4 method for signature 'plot_base'
getParms()
```

**Value**

**parms** List of objects; graphics settings parameters.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getPlot,plot\_base-method

*Get Plot*

---

**Description**

getPlot method gets the plot object.

**Usage**

```
## S4 method for signature 'plot_base'
getPlot(parms)
```

**Arguments**

**parms** List of objects; graphics settings parameters.

**Value**

**plot** ggplot2 class object; the plot.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getScale, plot\_base-method  
*Get scale*

---

**Description**

getScale method gets scale.

**Usage**

```
## S4 method for signature 'plot_base'
getScale(parms)
```

**Arguments**

parms            List of objects; graphics settings parameters.

**Value**

**scale** Character; a code snippet for scales.

**See Also**

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmlist, plot\\_base-method](#), [removeRmlist, plot\\_base-method](#), [savePlot, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

gettextKmg2            *A gettextRcmdr Wrapper Function*

---

**Description**

This function is a gettextRcmdr wrapper function for this package.

**Usage**

```
gettextKmg2(...)
```



**Arguments**

... arguments passed to gettext function

**See Also**

[Rcmdr.Utilities](#)

---

getTheme,plot\_base-method

*Get* theme

---

**Description**

getTheme method gets the graph theme.

**Usage**

```
## S4 method for signature 'plot_base'
getTheme(parms)
```

**Arguments**

parms List of objects; graphics settings parameters.

**Value**

**theme** Character; a code snippet for the theme.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-m](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-metho](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-metho](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getWindowTitle,plot\_base-method  
*Get Title*

---

**Description**

getWindowTitle method gets the title of the window.

**Usage**

```
## S4 method for signature 'plot_base'
getWindowTitle()
```

**Value**

**title** Character; the title of the window.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getXlab,plot\_base-method  
*Get xlab*

---

**Description**

getXlab method gets the x-axis label.

**Usage**

```
## S4 method for signature 'plot_base'
getXlab(parms)
```

**Arguments**

**parms** List of objects; graphics settings parameters.

**Value**

**xlab** Character; a code snippet for the x-axis label.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-m](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-metho](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

getYlab,plot\_base-method

*Get ylab*

---

**Description**

getYlab method gets the y-axis label.

**Usage**

```
## S4 method for signature 'plot_base'
getYlab(parms)
```

**Arguments**

parms                    List of objects; graphics settings parameters.

**Value**

**ylab** Character; a code snippet for the y-axis label.

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-m](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-metho](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#)

[removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

`getZlab,plot_base-method`  
*Get zlab*

---

### Description

`getZlab` method gets the label of the stratum.

### Usage

```
## S4 method for signature 'plot_base'
getZlab(parms)
```

### Arguments

`parms` List of objects; graphics settings parameters.

### Value

**zlab** Character; a code snippet for the label of the stratum.

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

**Description**

This is a modified function of ggsave for recordedplot class objects.

**Usage**

```
ggsaveKmg2(filename = default_name(plot), plot = last_plot(),
  device = default_device(filename), path = NULL, scale = 1,
  width = par("din")[1], height = par("din")[2], units = c("in", "cm",
  "mm"), dpi = 300, ...)
```

**Arguments**

filename	file name/filename of plot
plot	plot to save, defaults to last plot displayed
device	device to use, automatically extract from file name extension
path	path to save plot to (if you just want to set path and not filename)
scale	scaling factor
width	width (defaults to the width of current plotting window)
height	height (defaults to the height of current plotting window)
units	units for width and height when either one is explicitly specified (in, cm, or mm)
dpi	dpi to use for raster graphics
...	other arguments passed to graphics device

**See Also**

[ggsave](#)

**Description**

ghist class is a subclass for histograms.

**Details**

This class is a subclass which show dialog boxes of histograms for graphics editing.

**Fields**

top: tkwin class object; parent of widget window.  
alternateFrame: tkwin class object; a special frame for some GUI parts.  
vbbox1: variableboxes class object; the frame to select variables.  
vbbox2: variableboxes class object; the frame to select facet variables.  
vbbox3: variableboxes class object; the frame to set the no. of bins.  
lbbox1: textfields class object; the frame to set axis labels and the main title.  
rbbox1: radioboxes class object; the frame to set the axis scaling.  
cbbox1: checkboxes class object; the frame to set options.  
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

plotWindow(): Create the window that make plots.  
savePlot(plot): Save the plot.  
registerRmlist(object): Register deletable temporary objects.  
removeRmlist(): Remove registered temporary objects.  
setFront(): Set front parts of frames.  
setBack(): Set back parts of frames.  
getWindowTitle(): Get the title of the window.  
getHelp(): Get the title of the help document.  
getParms(): Get graphics settings parameters.  
checkTheme(index): Check themes.  
checkVariable(var): Check a variable length.  
checkError(parms): Check errors.  
setDataframe(parms): Set data frames.  
getGgplot(parms): Get ggplot.  
getGeom(parms): Get geom.  
getScale(parms): Get scale.  
getCoord(parms): Get coord.  
getFacet(parms): Get facet.  
getXlab(parms): Get xlab.  
getYlab(parms): Get ylab.  
getZlab(parms): Get zlab.  
getMain(parms): Get the main label.

getTheme(parms): Get theme.  
 getOpts(parms): Get other opts.  
 getPlot(parms): Get the plot object.  
 getMessage(): Get the plot error message.  
 commandDoIt(command): An wrapper function for command execution.

### See Also

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

gkm-class

*Kaplan-Meier Plot Subclass*

---

### Description

gkm class is a subclass for Kaplan-Meier plots.

### Details

This class is a subclass which show dialog boxes of Kaplan-Meier plots for graphics editing.

### Fields

top: tkwin class object; parent of widget window.  
 alternateFrame: tkwin class object; a special frame for some GUI parts.  
 vbox1: variableboxes class object; the frame to select variables.  
 vbox2: variableboxes class object; the frame to select facet variables.  
 lbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.  
 lbbox2: textfields class object; the frame to set the tick count.  
 rbbox1: radioboxes class object; the frame to set the plot type.  
 cbbox1: checkboxes class object; the frame to set option(s).  
 tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

### Contains

NULL

## Methods

`plotWindow()`: Create the window that make plots.  
`savePlot(plot)`: Save the plot.  
`registRmList(object)`: Register deletable temporary objects.  
`removeRmList()`: Remove registered temporary objects.  
`setFront()`: Set front parts of frames.  
`setBack()`: Set back parts of frames.  
`getWindowTitle()`: Get the title of the window.  
`getHelp()`: Get the title of the help document.  
`getParms()`: Get graphics settings parameters.  
`checkTheme(index)`: Check themes.  
`checkVariable(var)`: Check a variable length.  
`checkError(parms)`: Check errors.  
`setDataframe(parms)`: Set data frames.  
`getGgplot(parms)`: Get ggplot.  
`getGeom(parms)`: Get geom.  
`getScale(parms)`: Get scale.  
`getCoord(parms)`: Get coord.  
`getFacet(parms)`: Get facet.  
`getXlab(parms)`: Get xlab.  
`getYlab(parms)`: Get ylab.  
`getZlab(parms)`: Get zlab.  
`getMain(parms)`: Get the main label.  
`getTheme(parms)`: Get theme.  
`getOpts(parms)`: Get other opts.  
`getPlot(parms)`: Get the plot object.  
`getMessage()`: Get the plot error message.  
`commandDoIt(command)`: An wrapper function for command execution.

## See Also

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)



---

`gline-class`*Line Chart Subclass*

---

**Description**

`gline` class is a subclass for line charts.

**Details**

This class is a subclass which show dialog boxes of line charts for graphics editing.

**Fields**

`top`: `tkwin` class object; parent of widget window.

`alternateFrame`: `tkwin` class object; a special frame for some GUI parts.

`vbbox1`: `variableboxes` class object; the frame to select variables.

`vbbox2`: `variableboxes` class object; the frame to select facet variables.

`lbbox1`: `textfields` class object; the frame to set axis labels, the legend label, and the main title.

`rbbox1`: `radioboxes` class object; the frame to set the plot type.

`rbbox2`: `radioboxes` class object; the frame to set the summary type.

`rbbox3`: `radioboxes` class object; the frame to set the scale type.

`tbbox1`: `toolbox` class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

`plotWindow()`: Create the window that make plots.

`savePlot(plot)`: Save the plot.

`registRmList(object)`: Register deletable temporary objects.

`removeRmList()`: Remove registered temporary objects.

`setFront()`: Set front parts of frames.

`setBack()`: Set back parts of frames.

`getWindowTitle()`: Get the title of the window.

`getHelp()`: Get the title of the help document.

`getParms()`: Get graphics settings parameters.

`checkTheme(index)`: Check themes.

`checkVariable(var)`: Check a variable length.

`checkError(parms)`: Check errors.

[setDataframe\(parms\)](#): Set data frames.  
[getGgplot\(parms\)](#): Get ggplot.  
[getGeom\(parms\)](#): Get geom.  
[getScale\(parms\)](#): Get scale.  
[getCoord\(parms\)](#): Get coord.  
[getFacet\(parms\)](#): Get facet.  
[getXlab\(parms\)](#): Get xlab.  
[getYlab\(parms\)](#): Get ylab.  
[getZlab\(parms\)](#): Get zlab.  
[getMain\(parms\)](#): Get the main label.  
[getTheme\(parms\)](#): Get theme.  
[getOpts\(parms\)](#): Get other opts.  
[getPlot\(parms\)](#): Get the plot object.  
[getMessage\(\)](#): Get the plot error message.  
[commandDoIt\(command\)](#): An wrapper function for command execution.

### See Also

[scale\\_date](#)

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmlist](#), [plot\\_base-method](#), [removeRmlist](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

gparts\_base-class      *Base Class for GUI Frames*

---

### Description

gparts\_base class is the base class for GUI frames.

### Details

This class is a framework for implementing subclasses which make GUI frames.

**Fields**

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back\_list: List of tkwin class object; list of grids.

**Contains**

NULL

**Methods**

back(perline = 3): back method for gparts\_base class.

**See Also**

Other guiparts: [back](#), [gparts\\_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

gpie-class

*Pie Charts Subclass*

---

**Description**

gpie class is a subclass for pie charts.

**Details**

This class is a subclass which show dialog boxes of pie charts for graphics editing.

**Fields**

top: tkwin class object; parent of widget window.

alternateFrame: tkwin class object; a special frame for some GUI parts.

vbbox1: variableboxes class object; the frame to select variables.

vbbox2: variableboxes class object; the frame to select facet variables.

lbbox1: textfields class object; the frame to set axis labels and the main title.

tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

`plotWindow()`: Create the window that make plots.  
`savePlot(plot)`: Save the plot.  
`registRmList(object)`: Register deletable temporary objects.  
`removeRmList()`: Remove registered temporary objects.  
`setFront()`: Set front parts of frames.  
`setBack()`: Set back parts of frames.  
`getWindowTitle()`: Get the title of the window.  
`getHelp()`: Get the title of the help document.  
`getParms()`: Get graphics settings parameters.  
`checkTheme(index)`: Check themes.  
`checkVariable(var)`: Check a variable length.  
`checkError(parms)`: Check errors.  
`setDataframe(parms)`: Set data frames.  
`getGgplot(parms)`: Get ggplot.  
`getGeom(parms)`: Get geom.  
`getScale(parms)`: Get scale.  
`getCoord(parms)`: Get coord.  
`getFacet(parms)`: Get facet.  
`getXlab(parms)`: Get xlab.  
`getYlab(parms)`: Get ylab.  
`getZlab(parms)`: Get zlab.  
`getMain(parms)`: Get the main label.  
`getTheme(parms)`: Get theme.  
`getOpts(parms)`: Get other opts.  
`getPlot(parms)`: Get the plot object.  
`getMessage()`: Get the plot error message.  
`commandDoIt(command)`: An wrapper function for command execution.

**See Also**

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

gqq-class

*Q-Q Plot Subclass*

---

### Description

gqq class is a subclass for Q-Q plots.

### Details

This class is a subclass which show dialog boxes of Q-Q plots for graphics editing.

### Fields

top: tkwin class object; parent of widget window.

alternateFrame: tkwin class object; a special frame for some GUI parts.

vbbox1: variableboxes class object; the frame to select variables.

lbbbox1: textfields class object; the frame to set axis labels, the legend label, and the main title.

lbbbox2: textfields class object; the frame to set other theoretical distribution.

rbbox1: radioboxes class object; the frame to set the theoretical distribution.

tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

### Contains

NULL

### Methods

plotWindow(): Create the window that make plots.

savePlot(plot): Save the plot.

registRmList(object): Register deletable temporary objects.

removeRmList(): Remove registered temporary objects.

setFront(): Set front parts of frames.

setBack(): Set back parts of frames.

getWindowTitle(): Get the title of the window.

getHelp(): Get the title of the help document.

getParms(): Get graphics settings parameters.

checkTheme(index): Check themes.

checkVariable(var): Check a variable length.

checkError(parms): Check errors.

setDataframe(parms): Set data frames.

getGgplot(parms): Get ggplot.

[getGeom\(parms\)](#): Get geom.  
[getScale\(parms\)](#): Get scale.  
[getCoord\(parms\)](#): Get coord.  
[getFacet\(parms\)](#): Get facet.  
[getXlab\(parms\)](#): Get xlab.  
[getYlab\(parms\)](#): Get ylab.  
[getZlab\(parms\)](#): Get zlab.  
[getMain\(parms\)](#): Get the main label.  
[getTheme\(parms\)](#): Get theme.  
[getOpts\(parms\)](#): Get other opts.  
[getPlot\(parms\)](#): Get the plot object.  
[getMessage\(\)](#): Get the plot error message.  
[commandDoIt\(command\)](#): An wrapper function for command execution.

### See Also

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getScale, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmList, plot\\_base-method](#), [removeRmList, plot\\_base-method](#), [savePlot, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

`gscat-class`

*Scatter Plot Subclass*

---

### Description

`gscat` class is a subclass for scatter plots.

### Details

This class is a subclass which show dialog boxes of scatter plots for graphics editing.

**Fields**

**top:** tkwin class object; parent of widget window.  
**alternateFrame:** tkwin class object; a special frame for some GUI parts.  
**vbbox1:** variableboxes class object; the frame to select variables.  
**vbbox2:** variableboxes class object; the frame to select facet variables.  
**lbbox1:** textfields class object; the frame to set axis labels, the legend label, and the main title.  
**rbbox1:** radioboxes class object; the frame to set the smoothing type.  
**tbbox1:** toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

**plotWindow():** Create the window that make plots.  
**savePlot(plot):** Save the plot.  
**registRmList(object):** Register deletable temporary objects.  
**removeRmList():** Remove registered temporary objects.  
**setFront():** Set front parts of frames.  
**setBack():** Set back parts of frames.  
**getWindowTitle():** Get the title of the window.  
**getHelp():** Get the title of the help document.  
**getParms():** Get graphics settings parameters.  
**checkTheme(index):** Check themes.  
**checkVariable(var):** Check a variable length.  
**checkError(parms):** Check errors.  
**setDataframe(parms):** Set data frames.  
**getGgplot(parms):** Get ggplot.  
**getGeom(parms):** Get geom.  
**getScale(parms):** Get scale.  
**getCoord(parms):** Get coord.  
**getFacet(parms):** Get facet.  
**getXlab(parms):** Get xlab.  
**getYlab(parms):** Get ylab.  
**getZlab(parms):** Get zlab.  
**getMain(parms):** Get the main label.  
**getTheme(parms):** Get theme.  
**getOpts(parms):** Get other opts.  
**getPlot(parms):** Get the plot object.  
**getMessage():** Get the plot error message.  
**commandDoIt(command):** An wrapper function for command execution.

**See Also**

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

gscatmat-class

*Scatter Plot Matrix Subclass*


---

**Description**

gscatmat class is a subclass for a scatter plot matrix.

**Details**

This class is a subclass which show dialog boxes of a scatter plot matrix for graphics editing.

**Fields**

top: tkwin class object; parent of widget window.  
alternateFrame: tkwin class object; a special frame for some GUI parts.  
vbbox1: variableboxes class object; the frame to select variables.  
lbbox1: textfields class object; the frame to set the main title.  
rbbox1: radioboxes class object; the frame to set the smoothing type.  
tbbox1: toolbox class object; the frame to set the font, the colour set, other option, and the theme.

**Contains**

NULL

**Methods**

plotWindow(): Create the window that make plots.  
savePlot(plot): Save the plot.  
registRmList(object): Register deletable temporary objects.  
removeRmList(): Remove registered temporary objects.  
setFront(): Set front parts of frames.  
setBack(): Set back parts of frames.



[getWindowTitle\(\)](#): Get the title of the window.  
[getHelp\(\)](#): Get the title of the help document.  
[getParms\(\)](#): Get graphics settings parameters.  
[checkTheme\(index\)](#): Check themes.  
[checkVariable\(var\)](#): Check a variable length.  
[checkError\(parms\)](#): Check errors.  
[setDataframe\(parms\)](#): Set data frames.  
[getGgplot\(parms\)](#): Get ggplot.  
[getGeom\(parms\)](#): Get geom.  
[getScale\(parms\)](#): Get scale.  
[getCoord\(parms\)](#): Get coord.  
[getFacet\(parms\)](#): Get facet.  
[getXlab\(parms\)](#): Get xlab.  
[getYlab\(parms\)](#): Get ylab.  
[getZlab\(parms\)](#): Get zlab.  
[getMain\(parms\)](#): Get the main label.  
[getTheme\(parms\)](#): Get theme.  
[getOpts\(parms\)](#): Get other opts.  
[getPlot\(parms\)](#): Get the plot object.  
[getMessage\(\)](#): Get the plot error message.  
[commandDoIt\(command\)](#): An wrapper function for command execution.

### See Also

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-method](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-method](#), [getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [plotWindow](#), [plot\\_base-method](#), [plot\\_base-class](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

lastcom

*Listing the last command*

---

### Description

This function lists the last command is executed by `RcmdrPlugin.KMggplot2`

### Usage

```
lastcom()
```

nonFactors

*Select Non Factor Variables*

---

**Description**

This is a function to select non-factor variables for the Rcmdr package.

**Usage**

```
nonFactors()
```

**See Also**

[Rcmdr.Utilities](#)

---

nonFactorsP

*Check Non Factor Variables in The Active Dataset*

---

**Description**

This is a function to check the active dataset has more than or equal to n non-factor variables.

**Usage**

```
nonFactorsP(n = 1)
```

**Arguments**

n                      Numeric: the target number of n.

**Value**

**result** Boolean; the active dataset has or does not have more than or equal to n non-factor variables.

**See Also**

[Rcmdr.Utilities](#)

---

 plotWindow,plot\_base-method

*Create Plot Window*


---

### Description

plotWindow method creates the window that make plots.

### Usage

```
## S4 method for signature 'plot_base'
plotWindow()
```

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

 plot\_base-class

*Base Class for Plot Windows*


---

### Description

plot\_base class is the base class for plot windows.

### Details

This class is a framework for implementing subclasses which show dialog boxes for graphics editing.

### Fields

**top:** tkwin class object; parent of widget window.

**alternateFrame:** tkwin class object; a special frame for some GUI parts.

**rmList:** List of character; deletable temporary objects.

**mode:** numeric; the executive mode (0 = justDoIt, 1 = doItAndPrint).

**Contains**

NULL

**Methods**

`plotWindow()`: Create the window that make plots.  
`savePlot(plot)`: Save the plot.  
`registRmlist(object)`: Register deletable temporary objects.  
`removeRmlist()`: Remove registered temporary objects.  
`setFront()`: Set front parts of frames.  
`setBack()`: Set back parts of frames.  
`getWindowTitle()`: Get the title of the window.  
`getHelp()`: Get the title of the help document.  
`getParms()`: Get graphics settings parameters.  
`checkTheme(index)`: Check themes.  
`checkVariable(var)`: Check a variable length.  
`checkError(parms)`: Check errors.  
`setDataframe(parms)`: Set data frames.  
`getGgplot(parms)`: Get ggplot.  
`getGeom(parms)`: Get geom.  
`getScale(parms)`: Get scale.  
`getCoord(parms)`: Get coord.  
`getFacet(parms)`: Get facet.  
`getXlab(parms)`: Get xlab.  
`getYlab(parms)`: Get ylab.  
`getZlab(parms)`: Get zlab.  
`getMain(parms)`: Get the main label.  
`getTheme(parms)`: Get theme.  
`getOpts(parms)`: Get other opts.  
`getPlot(parms)`: Get the plot object.  
`getMessage()`: Get the plot error message.  
`commandDoIt(command)`: An wrapper function for command execution.

**See Also**

Other plot: [checkError](#), [plot\\_base-method](#), [checkTheme](#), [plot\\_base-method](#), [checkVariable](#), [plot\\_base-method](#), [commandDoIt](#), [plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord](#), [plot\\_base-method](#), [getFacet](#), [plot\\_base-method](#), [getGeom](#), [plot\\_base-method](#), [getGgplot](#), [plot\\_base-method](#), [getHelp](#), [plot\\_base-method](#), [getMain](#), [plot\\_base-method](#), [getMessage](#), [plot\\_base-m](#), [getOpts](#), [plot\\_base-method](#), [getParms](#), [plot\\_base-method](#), [getPlot](#), [plot\\_base-method](#), [getScale](#), [plot\\_base-meth](#)

[getTheme](#), [plot\\_base-method](#), [getWindowTitle](#), [plot\\_base-method](#), [getXlab](#), [plot\\_base-method](#), [getYlab](#), [plot\\_base-method](#), [getZlab](#), [plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow](#), [plot\\_base-method](#), [registRmList](#), [plot\\_base-method](#), [removeRmList](#), [plot\\_base-method](#), [savePlot](#), [plot\\_base-method](#), [setBack](#), [plot\\_base-method](#), [setDataframe](#), [plot\\_base-method](#), [setFront](#), [plot\\_base-method](#)

---

radioboxes-class	<i>Radio Boxes Subclass</i>
------------------	-----------------------------

---

### Description

radioboxes class is a subclass for GUI radio box frame.

### Details

This class is a subclass which make GUI radio box frame.

### Fields

**frame:** tkwin class object; parent of widget window.

**length:** Integer; number of grids.

**back\_list:** List of tkwin class object; list of grids.

**value:** TclVar class object; the value of the radio box frame.

**rbradioboxes:** tkwin class object; the radio box frame.

### Contains

`gparts_base`

### Methods

**back(perline = 3):** back method for gparts\_base class.

**front(top, labels, title = "", initialValue = 1, right.buttons = FALSE):** front method for radioboxes subclass.

### See Also

Other guiparts: [back](#), [gparts\\_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts\\_base-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

 registRmlist,plot\_base-method

*Register Deletable Temporary Objects*


---

### Description

registRmlist method registers deletable temporary objects.

### Usage

```
## S4 method for signature 'plot_base'
registRmlist(object)
```

### Arguments

object            Object; the deletable temporary object to register.

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

 removeRmlist,plot\_base-method

*Remove Registered Temporary Objects*


---

### Description

removeRmlist method removes registered temporary objects.

### Usage

```
## S4 method for signature 'plot_base'
removeRmlist()
```

**See Also**

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getScale, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmList, plot\\_base-method](#), [savePlot, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

savePlot, plot\_base-method

*Save Plot*

---

**Description**

savePlot method saves the plot.

**Usage**

```
## S4 method for signature 'plot_base'
savePlot(plot, useGgsave)
```

**Arguments**

plot	ggplot or recordedplot class object; the plot to save.
useGgsave	Boolean; use ggsave.

**See Also**

Other plot: [checkError, plot\\_base-method](#), [checkTheme, plot\\_base-method](#), [checkVariable, plot\\_base-method](#), [commandDoIt, plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord, plot\\_base-method](#), [getFacet, plot\\_base-method](#), [getGeom, plot\\_base-method](#), [getGgplot, plot\\_base-method](#), [getHelp, plot\\_base-method](#), [getMain, plot\\_base-method](#), [getMessage, plot\\_base-method](#), [getOpts, plot\\_base-method](#), [getParms, plot\\_base-method](#), [getPlot, plot\\_base-method](#), [getScale, plot\\_base-method](#), [getTheme, plot\\_base-method](#), [getWindowTitle, plot\\_base-method](#), [getXlab, plot\\_base-method](#), [getYlab, plot\\_base-method](#), [getZlab, plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow, plot\\_base-method](#), [plot\\_base-class](#), [registRmList, plot\\_base-method](#), [removeRmList, plot\\_base-method](#), [setBack, plot\\_base-method](#), [setDataframe, plot\\_base-method](#), [setFront, plot\\_base-method](#)

---

 setDataframe,plot\_base-method

*Set Back Parts*


---

### Description

setDataframe method sets back parts of frames.

### Usage

```
## S4 method for signature 'plot_base'
setDataframe()
```

### See Also

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-method](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-method](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmList,plot\\_base-method](#), [removeRmList,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setDataframe,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

 setDataframe,plot\_base-method

*Set Data Frames*


---

### Description

setDataframe method sets data frames.

### Usage

```
## S4 method for signature 'plot_base'
setDataframe(parms)
```

### Arguments

parms           List of objects; graphics settings parameters.



**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-m](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-meth](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setFront,plot\\_base-method](#)

---

setFront,plot\_base-method

*Set Front Parts*

---

**Description**

setFront method sets front parts of frames.

**Usage**

```
## S4 method for signature 'plot_base'
setFront()
```

**See Also**

Other plot: [checkError,plot\\_base-method](#), [checkTheme,plot\\_base-method](#), [checkVariable,plot\\_base-method](#), [commandDoIt,plot\\_base-method](#), [factorize-class](#), [gbox-class](#), [gcont-class](#), [gdiscbar-class](#), [gdist-class](#), [getCoord,plot\\_base-method](#), [getFacet,plot\\_base-method](#), [getGeom,plot\\_base-method](#), [getGgplot,plot\\_base-method](#), [getHelp,plot\\_base-method](#), [getMain,plot\\_base-method](#), [getMessage,plot\\_base-m](#), [getOpts,plot\\_base-method](#), [getParms,plot\\_base-method](#), [getPlot,plot\\_base-method](#), [getScale,plot\\_base-meth](#), [getTheme,plot\\_base-method](#), [getWindowTitle,plot\\_base-method](#), [getXlab,plot\\_base-method](#), [getYlab,plot\\_base-method](#), [getZlab,plot\\_base-method](#), [ghist-class](#), [gkm-class](#), [gline-class](#), [gpie-class](#), [gqq-class](#), [gscat-class](#), [gscatmat-class](#), [plotWindow,plot\\_base-method](#), [plot\\_base-class](#), [registRmlist,plot\\_base-method](#), [removeRmlist,plot\\_base-method](#), [savePlot,plot\\_base-method](#), [setBack,plot\\_base-method](#), [setDataframe,plot\\_base-method](#)

---

textfield-class	<i>Text Field Subclass</i>
-----------------	----------------------------

---

**Description**

textfield class is a subclass for GUI text field frame.

**Details**

This class is a subclass which make GUI text field frame.

**Fields**

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back\_list: List of tkwin class object; list of grids.

value: TclVar class object; the value of the text field frame.

**Contains**

gparts\_base

**Methods**

back(perline = 3): back method for gparts\_base class.

front(top, initialValue, boxwidth, title): front method for textfield subclass.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfields-class](#), [toolbox-class](#), [variableboxes-class](#)

---

textfields-class	<i>Multiple Text Fields Subclass</i>
------------------	--------------------------------------

---

**Description**

textfields class is a subclass for GUI multiple text fields frame.

**Details**

This class is a subclass which make GUI multiple text fields frame.

**Fields**

frame: tkwin class object; parent of widget window.  
length: Integer; number of grids.  
back\_list: List of tkwin class object; list of grids.  
fields: List of textfield class object; list of textfield.

**Contains**

gparts\_base

**Methods**

back(perline = 3): back method for gparts\_base class.  
front(top, initValues, titles, boxwidth = "20"): front method for textfields subclass.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [toolbox-class](#), [variableboxes-class](#)

---

theme\_natrisk

*A Theme for No of At Risk in Kaplan-Meier Plots*

---

**Description**

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

**Usage**

```
theme_natrisk(base_theme, base_size = 20, base_family = "")
```

**Arguments**

base_theme	base theme name
base_size	base font size
base_family	font family name

**See Also**

[ggplot](#)

---

theme_natrisk21	<i>A Theme for No of At Risk in Kaplan-Meier Plots</i>
-----------------	--

---

**Description**

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

**Usage**

```
theme_natrisk21(base_theme, base_size = 20, base_family = "")
```

**Arguments**

base_theme	base theme name
base_size	base font size
base_family	font family name

**See Also**

[ggplot](#)

---

theme_natriskbg	<i>A Theme for No of At Risk in Kaplan-Meier Plots</i>
-----------------	--

---

**Description**

These functions generate graphics themes for no of at risk in Kaplan-Meier Plots.

**Usage**

```
theme_natriskbg(base_theme, base_size = 20, base_family = "")
```

**Arguments**

base_theme	base theme name
base_size	base font size
base_family	font family name

**See Also**

[ggplot](#)

---

theme_simple	<i>A Simple Black and White Theme</i>
--------------	---------------------------------------

---

**Description**

A Simple Black and White Theme

**Usage**

```
theme_simple(base_size = 16, base_family = "")
```

**Arguments**

base_size	base font size
base_family	font family name

**See Also**

[ggplot](#)

---

theme_ws2	<i>A Wrapper Theme for ggthemes's theme_ws</i>
-----------	--

---

**Description**

A Wrapper Theme for ggthemes's theme\_ws

**Usage**

```
theme_ws2(base_size = 16, base_family = "")
```

**Arguments**

base_size	base font size
base_family	font family name

**See Also**

[ggplot theme\\_ws](#)

---

`toolbox-class`*Tool Box Subclass*

---

## Description

toolbox class is a subclass for GUI tool box frame.

## Details

This class is a subclass which make GUI tool box frame.

## Fields

`frame`: tkwin class object; parent of widget window.

`length`: Integer; number of grids.

`back_list`: List of tkwin class object; list of grids.

`size`: textfield class object; the value of the font size frame.

`family`: listbox class object; the value of the font family frame.

`colour`: listbox class object; the value of the colour set frame.

`goption`: checkboxes class object; values of other options frame.

`theme`: radioboxes class object; the value of the graph theme frame.

## Contains

`gparts_base`

## Methods

`back(perline = 3)`: back method for `gparts_base` class.

`front(top, showcolourbox = TRUE, fontSize = unlist(options("kmg2FontSize")), fontSize = unlist(options("kmg2FontSize")))`: front method for toolbox subclass.

## See Also

Other guiparts: [back](#), [gparts\\_base-method](#), [checkboxes-class](#), [front](#), [checkboxes-method](#), [front](#), [radioboxes-method](#), [front](#), [textfield-method](#), [front](#), [textfields-method](#), [front](#), [toolbox-method](#), [front](#), [variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [variableboxes-class](#)

---

variableboxes-class	<i>Variable Boxes Subclass</i>
---------------------	--------------------------------

---

**Description**

variableboxes class is a subclass for GUI variable box frame.

**Details**

This class is a subclass which make GUI variable box frame.

**Fields**

frame: tkwin class object; parent of widget window.

length: Integer; number of grids.

back\_list: List of tkwin class object; list of grids.

variable: List of listbox class object; variables of the variable box frame.

**Contains**

gparts\_base

**Methods**

back(perline = 3): back method for gparts\_base class.

front(top, types, titles, modes = "default"): front method for variableboxes subclass.

**See Also**

Other guiparts: [back,gparts\\_base-method](#), [checkboxes-class](#), [front,checkboxes-method](#), [front,radioboxes-method](#), [front,textfield-method](#), [front,textfields-method](#), [front,toolbox-method](#), [front,variableboxes-method](#), [gparts\\_base-class](#), [radioboxes-class](#), [textfield-class](#), [textfields-class](#), [toolbox-class](#)

---

windowBox	<i>Wrapper Function of Box Plot Subclass</i>
-----------	--

---

**Description**

windowBox function is a wrapper function of gbox class for the R-commander menu bar.

**Usage**

windowBox()

---

windowContour	<i>Wrapper Function of Contour Plot Subclass</i>
---------------	--

---

**Description**

windowContour function is a wrapper function of gcont class for the R-commander menu bar.

**Usage**

```
windowContour()
```

---

windowDiscretebar	<i>Wrapper Function of Discrete Bar Charts Subclass</i>
-------------------	---

---

**Description**

windowDiscretebar function is a wrapper function of gdisbar class for the R-commander menu bar.

**Usage**

```
windowDiscretebar()
```

---

windowDistBeta	<i>Wrapper Function of Beta Distribution Plot Subclass</i>
----------------	--

---

**Description**

windowDistBeta function is a wrapper function of gdist class for the R-commander menu bar.

**Usage**

```
windowDistBeta()
```

---

windowDistBinom	<i>Wrapper Function of Binomial Distribution Plot Subclass</i>
-----------------	--

---

**Description**

windowDistBinom function is a wrapper function of gdist class for the R-commander menu bar.

**Usage**

```
windowDistBinom()
```



---

windowDistCauchy      *Wrapper Function of Cauchy Distribution Plot Subclass*

---

**Description**

windowDistCauchy function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistCauchy()
```

---

windowDistChisq      *Wrapper Function of Chi-square Distribution Plot Subclass*

---

**Description**

windowDistChisq function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistChisq()
```

---

windowDistExp      *Wrapper Function of Exponential Distribution Plot Subclass*

---

**Description**

windowDistExp function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistExp()
```

---

windowDistF      *Wrapper Function of F Distribution Plot Subclass*

---

**Description**

windowDistF function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistF()
```

---

windowDistGamma	<i>Wrapper Function of Gamma Distribution Plot Subclass</i>
-----------------	---

---

**Description**

windowDistGamma function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistGamma()
```

---

windowDistGeom	<i>Wrapper Function of Geometric Distribution Plot Subclass</i>
----------------	---

---

**Description**

windowDistGeom function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistGeom()
```

---

windowDistHyper	<i>Wrapper Function of Hypergeometric Distribution Plot Subclass</i>
-----------------	--

---

**Description**

windowDistHyper function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistHyper()
```

---

windowDistLnorm	<i>Wrapper Function of Log-normal Distribution Plot Subclass</i>
-----------------	--

---

**Description**

windowDistLnorm function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistLnorm()
```

---

windowDistLogis	<i>Wrapper Function of Logistic Distribution Plot Subclass</i>
-----------------	--

---

**Description**

windowDistLogis function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistLogis()
```

---

windowDistNbinom	<i>Wrapper Function of Negative Binomial Distribution Plot Subclass</i>
------------------	---

---

**Description**

windowDistNbinom function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistNbinom()
```

---

windowDistNorm	<i>Wrapper Function of Normal Distribution Plot Subclass</i>
----------------	--

---

**Description**

windowDistNorm function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistNorm()
```

---

windowDistPois	<i>Wrapper Function of Poisson Distribution Plot Subclass</i>
----------------	---

---

**Description**

windowDistPois function is a wrapper function of `gdist` class for the R-commander menu bar.

**Usage**

```
windowDistPois()
```

---

windowDistT	<i>Wrapper Function of t Distribution Plot Subclass</i>
-------------	---

---

**Description**

windowDistT function is a wrapper function of gdist class for the R-commander menu bar.

**Usage**

```
windowDistT()
```

---

windowDistUnif	<i>Wrapper Function of Uniform Distribution Plot Subclass</i>
----------------	---

---

**Description**

windowDistUnif function is a wrapper function of gdist class for the R-commander menu bar.

**Usage**

```
windowDistUnif()
```

---

windowDistWeibull	<i>Wrapper Function of Weibull Distribution Plot Subclass</i>
-------------------	---

---

**Description**

windowDistWeibull function is a wrapper function of gdist class for the R-commander menu bar.

**Usage**

```
windowDistWeibull()
```

---

windowFactorize	<i>Wrapper Function of Factorize Subclass</i>
-----------------	---

---

**Description**

windowFactorize function is a wrapper function of factorize class for the R-commander menu bar.

**Usage**

```
windowFactorize()
```

---

windowHist	<i>Wrapper Function of Histogram Subclass</i>
------------	---

---

**Description**

windowHist function is a wrapper function of ghist class for the R-commander menu bar.

**Usage**

```
windowHist()
```

---

windowKM	<i>Wrapper Function of Kaplan-Meier Plot Subclass</i>
----------	---

---

**Description**

windowKM function is a wrapper function of gkm class for the R-commander menu bar.

**Usage**

```
windowKM()
```

---

windowLine	<i>Wrapper Function of Line Chart Subclass</i>
------------	--

---

**Description**

windowScatter function is a wrapper function of gline class for the R-commander menu bar.

**Usage**

```
windowLine()
```

---

windowPie	<i>Wrapper Function of Pie Charts Subclass</i>
-----------	--

---

**Description**

windowPie function is a wrapper function of gpie class for the R-commander menu bar.

**Usage**

```
windowPie()
```

---

windowQQ	<i>Wrapper Function of Q-Q Plot Subclass</i>
----------	--

---

**Description**

windowQQ function is a wrapper function of gqq class for the R-commander menu bar.

**Usage**

```
windowQQ()
```

---

windowScatter	<i>Wrapper Function of Scatter Plot Subclass</i>
---------------	--

---

**Description**

windowScatter function is a wrapper function of gscat class for the R-commander menu bar.

**Usage**

```
windowScatter()
```

---

windowScattermat	<i>Wrapper Function of Scatter Plot Matrix Subclass</i>
------------------	---

---

**Description**

windowScattermat function is a wrapper function of gscatmat class for the R-commander menu bar.

**Usage**

```
windowScattermat()
```

# Index

- \*Topic **An**
  - plot\_base-class, 51
- \*Topic **Back**
  - plot\_base-class, 51
- \*Topic **Check**
  - plot\_base-class, 51
- \*Topic **Coord**
  - plot\_base-class, 51
- \*Topic **Error**
  - plot\_base-class, 51
- \*Topic **Facet**
  - plot\_base-class, 51
- \*Topic **Front**
  - plot\_base-class, 51
- \*Topic **Geom**
  - plot\_base-class, 51
- \*Topic **Get**
  - plot\_base-class, 51
- \*Topic **Ggplot**
  - plot\_base-class, 51
- \*Topic **Help**
  - plot\_base-class, 51
- \*Topic **List**
  - plot\_base-class, 51
- \*Topic **Main**
  - plot\_base-class, 51
- \*Topic **Message**
  - plot\_base-class, 51
- \*Topic **Opts**
  - plot\_base-class, 51
- \*Topic **Parameters**
  - plot\_base-class, 51
- \*Topic **Plot**
  - factorize-class, 11
  - plot\_base-class, 51
- \*Topic **Register**
  - plot\_base-class, 51
- \*Topic **Remove**
  - plot\_base-class, 51
- \*Topic **Save**
  - plot\_base-class, 51
- \*Topic **Scale**
  - plot\_base-class, 51
- \*Topic **Set**
  - plot\_base-class, 51
- \*Topic **Theme**
  - plot\_base-class, 51
- \*Topic **Title**
  - plot\_base-class, 51
- \*Topic **Windows**
  - factorize-class, 11
  - plot\_base-class, 51
- \*Topic **Window**
  - plot\_base-class, 51
- \*Topic **Xlab**
  - plot\_base-class, 51
- \*Topic **Ylab**
  - plot\_base-class, 51
- \*Topic **Zlab**
  - plot\_base-class, 51
- \*Topic **color**
  - theme\_natrisk, 59
  - theme\_natrisk21, 60
  - theme\_natriskbg, 60
  - theme\_simple, 61
  - theme\_wsj2, 61
- \*Topic **command**
  - plot\_base-class, 51
- \*Topic **datasets**
  - geom\_stepribbon, 23
- \*Topic **data**
  - dataContour, 8
  - dataKm, 9
  - dataLine, 10
- \*Topic **documentation**
  - gettextKmg2, 32
  - lastcom, 49
- \*Topic **execution**

- plot\_base-class, 51
- \*Topic **for**
  - plot\_base-class, 51
- \*Topic **function**
  - plot\_base-class, 51
- \*Topic **hplot**
  - back, gparts\_base-method, 4
  - checkboxes-class, 5
  - checkError, plot\_base-method, 6
  - checkTheme, plot\_base-method, 6
  - checkVariable, plot\_base-method, 7
  - commandDoIt, plot\_base-method, 8
  - factorize-class, 11
  - front, checkboxes-method, 12
  - front, radioboxes-method, 13
  - front, textfield-method, 14
  - front, textfields-method, 14
  - front, toolbox-method, 15
  - front, variableboxes-method, 16
  - gbox-class, 16
  - gcont-class, 18
  - gdisbar-class, 20
  - gdist-class, 21
  - getCoord, plot\_base-method, 25
  - getFacet, plot\_base-method, 25
  - getGeom, plot\_base-method, 26
  - getGgplot, plot\_base-method, 27
  - getHelp, plot\_base-method, 28
  - getMain, plot\_base-method, 28
  - getMessage, plot\_base-method, 29
  - getOpts, plot\_base-method, 30
  - getParms, plot\_base-method, 30
  - getPlot, plot\_base-method, 31
  - getScale, plot\_base-method, 32
  - getTheme, plot\_base-method, 33
  - getWindowTitle, plot\_base-method, 34
  - getXlab, plot\_base-method, 34
  - getYlab, plot\_base-method, 35
  - getZlab, plot\_base-method, 36
  - ggsaveKmg2, 37
  - ghist-class, 37
  - gkm-class, 39
  - gline-class, 41
  - gparts\_base-class, 42
  - gpie-class, 43
  - gqq-class, 45
  - gscat-class, 46
  - gscatmat-class, 48
  - nonFactors, 50
  - nonFactorsP, 50
  - plot\_base-class, 51
  - plotWindow, plot\_base-method, 51
  - radioboxes-class, 53
  - RcmdrPlugin.KMggplot2-package, 4
  - registRmlist, plot\_base-method, 54
  - removeRmlist, plot\_base-method, 54
  - savePlot, plot\_base-method, 55
  - setBack, plot\_base-method, 56
  - setDataframe, plot\_base-method, 56
  - setFront, plot\_base-method, 57
  - textfield-class, 58
  - textfields-class, 58
  - toolbox-class, 62
  - variableboxes-class, 63
  - windowBox, 63
  - windowContour, 64
  - windowDiscretebar, 64
  - windowDistBeta, 64
  - windowDistBinom, 64
  - windowDistCauchy, 65
  - windowDistChisq, 65
  - windowDistExp, 65
  - windowDistF, 65
  - windowDistGamma, 66
  - windowDistGeom, 66
  - windowDistHyper, 66
  - windowDistLnorm, 66
  - windowDistLogis, 67
  - windowDistNbinom, 67
  - windowDistNorm, 67
  - windowDistPois, 67
  - windowDistT, 68
  - windowDistUnif, 68
  - windowDistWeibull, 68
  - windowFactorize, 68
  - windowHist, 69
  - windowKM, 69
  - windowLine, 69
  - windowPie, 69
  - windowQQ, 70
  - windowScatter, 70
  - windowScattermat, 70
- \*Topic **length.**
  - plot\_base-class, 51
- \*Topic **list(data.frame)**



- plot\_base-class, 51
- \*Topic **list(rm())**
  - plot\_base-class, 51
- \*Topic **package**
  - RcmdrPlugin.KMggplot2-package, 4
- \*Topic **themes.**
  - plot\_base-class, 51
- \*Topic **variable**
  - plot\_base-class, 51
- \*Topic **wrapper**
  - plot\_base-class, 51
- aes, 23
- aes\_, 23
- back, gparts\_base-method, 4
- borders, 24
- checkboxes (checkboxes-class), 5
- checkboxes-class, 5
- checkError, plot\_base-method, 6
- checkTheme, plot\_base-method, 6
- checkVariable, plot\_base-method, 7
- commandDoIt, plot\_base-method, 8
- dataContour, 8
- dataKm, 9
- dataLine, 10
- factorize (factorize-class), 11
- factorize-class, 11
- fortify, 23
- front, checkboxes-method, 12
- front, radioboxes-method, 13
- front, textfield-method, 14
- front, textfields-method, 14
- front, toolbox-method, 15
- front, variableboxes-method, 16
- gbox (gbox-class), 16
- gbox-class, 16
- gcont (gcont-class), 18
- gcont-class, 18
- gdiscbar (gdiscbar-class), 20
- gdiscbar-class, 20
- gdist (gdist-class), 21
- gdist-class, 21
- geom\_ribbon, 24
- geom\_stepribbon, 23
- GeomStepribbon (geom\_stepribbon), 23
- getCoord, plot\_base-method, 25
- getFacet, plot\_base-method, 25
- getGeom, plot\_base-method, 26
- getGgplot, plot\_base-method, 27
- getHelp, plot\_base-method, 28
- getMain, plot\_base-method, 28
- getMessage, plot\_base-method, 29
- getOpts, plot\_base-method, 30
- getParms, plot\_base-method, 30
- getPlot, plot\_base-method, 31
- getScale, plot\_base-method, 32
- gettextKmg2, 32
- getTheme, plot\_base-method, 33
- getWindowTitle, plot\_base-method, 34
- getXlab, plot\_base-method, 34
- getYlab, plot\_base-method, 35
- getZlab, plot\_base-method, 36
- ggplot, 23, 59–61
- ggplot2, 4
- ggsave, 37
- ggsaveKmg2, 37
- ggthemes, 4
- ghist (ghist-class), 37
- ghist-class, 37
- gkm (gkm-class), 39
- gkm-class, 39
- gline (gline-class), 41
- gline-class, 41
- gparts\_base (gparts\_base-class), 42
- gparts\_base-class, 42
- gpie (gpie-class), 43
- gpie-class, 43
- gqq (gqq-class), 45
- gqq-class, 45
- gscat (gscat-class), 46
- gscat-class, 46
- gscatmat (gscatmat-class), 48
- gscatmat-class, 48
- KMggplot2
  - (RcmdrPlugin.KMggplot2-package), 4
- lastcom, 49
- layer, 24
- nonFactors, 50
- nonFactorsP, 50
- plot\_base (plot\_base-class), 51

plot\_base-class, 51  
 plotWindow, plot\_base-method, 51  
  
 radioboxes (radioboxes-class), 53  
 radioboxes-class, 53  
 Rcmdr, 4  
 Rcmdr.Utilities, 33, 50  
 RcmdrPlugin.KMggplot2  
     (RcmdrPlugin.KMggplot2-package),  
     4  
 RcmdrPlugin.KMggplot2-package, 4  
 RColorBrewer, 4  
 registerRmlist, plot\_base-method, 54  
 removeRmlist, plot\_base-method, 54  
  
 savePlot, plot\_base-method, 55  
 scale\_date, 42  
 setBack, plot\_base-method, 56  
 setDataframe, plot\_base-method, 56  
 setFront, plot\_base-method, 57  
 survfit, 4  
  
  
 textfield (textfield-class), 58  
 textfield-class, 58  
 textfields (textfields-class), 58  
 textfields-class, 58  
 theme\_natrisk, 59  
 theme\_natrisk21, 60  
 theme\_natriskbg, 60  
 theme\_simple, 61  
 theme\_wsj, 61  
 theme\_wsj2, 61  
 toolbox (toolbox-class), 62  
 toolbox-class, 62  
  
  
 variableboxes (variableboxes-class), 63  
 variableboxes-class, 63  
  
  
 windowBox, 63  
 windowContour, 64  
 windowDiscretebar, 64  
 windowDistBeta, 64  
 windowDistBinom, 64  
 windowDistCauchy, 65  
 windowDistChisq, 65  
 windowDistExp, 65  
 windowDistF, 65  
 windowDistGamma, 66  
 windowDistGeom, 66  
 windowDistHyper, 66  
 windowDistLnorm, 66  
 windowDistLogis, 67  
 windowDistNbinom, 67  
 windowDistNorm, 67  
 windowDistPois, 67  
 windowDistT, 68  
 windowDistUnif, 68  
 windowDistWeibull, 68  
 windowFactorize, 68  
 windowHist, 69  
 windowKM, 69  
 windowLine, 69  
 windowPie, 69  
 windowQQ, 70  
 windowScatter, 70  
 windowScattermat, 70