

Package ‘mggd’

March 22, 2023

Title Multivariate Generalised Gaussian Distribution; Kullback-Leibler Divergence

Version 1.1.0

Maintainer Pierre Santagostini <pierre.santagostini@agrocampus-ouest.fr>

Description Distance between multivariate generalised Gaussian distributions, as presented by N. Bouhlef and A. Dziri (2019) <doi:10.1109/LSP.2019.2915000>. Manipulation of multivariate generalised Gaussian distributions (methods presented by Gomez, Gomez-Villegas and Marin (1998) <doi:10.1080/03610929808832115> and Pascal, Bombrun, Tourneret and Berthoumieu (2013) <doi:10.1109/TSP.2013.2282909>).

Depends R (>= 3.3.0)

Imports MASS, rgl, lifecycle

License GPL (>= 3)

URL <https://forgemia.inra.fr/imhorphen/mggd>

BugReports <https://forgemia.inra.fr/imhorphen/mggd/-/issues>

Encoding UTF-8

RoxygenNote 7.2.3

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Pierre Santagostini [aut, cre],
Nizar Bouhlef [aut]

Repository CRAN

Date/Publication 2023-03-22 17:40:02 UTC

R topics documented:

mggd-package	2
contourmvggd	3
estparmvggd	4
kldggd	5

lauricella	7
mvdggd	8
mvrvggd	10
plotmvggd	11
pochhammer	12
Index	14

mggd-package

Tools for Multivariate Generalized Gaussian Distributions

Description

This package provides tools for multivariate generalized Gaussian distributions (MGGD):

- Calculation of distances/divergences between multivariate generalized Gaussian distributions:
 - Kullback-Leibler divergence: [kldggd](#)
- Tools for MGGD:
 - Probability density: [mvdggd](#)
 - Estimation of the parameters: [estparmvvggd](#)
 - Simulation from a MGGD: [mvrvggd](#)
 - Plot of the density of a MGGD with 2 variables: [plotmvggd](#), [contourmvggd](#)

Author(s)

Pierre Santagostini pierre.santagostini@agrocampus-ouest.fr, Nizar Bouhlef nizar.bouhlef@agrocampus-ouest.fr

References

- N. Bouhlef, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. *IEEE Signal Processing Letters*, vol. 26 no. 7, July 2019. [doi:10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)
- E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. 1998, Theory Methods*, col. 27, no. 23, p 589-600. [doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)
- F. Pascal, L. Bombrun, J.Y. Tourneret, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. *IEEE Trans. Signal Processing*, vol. 61 no. 23, p. 5960-5971, Dec. 2013. [doi:10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909)

contourmvggd

Contour Plot of the Bivariate Generalised Gaussian Density

Description

Draws the contour plot of the probability density of the generalised Gaussian distribution with 2 variables with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
contourmvggd(mu, Sigma, beta,
             xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
             ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]),
             zlim = NULL, npt = 30, nx = npt, ny = npt,
             main = "Multivariate generalised Gaussian density",
             sub = NULL, nlevels = 10,
             levels = pretty(zlim, nlevels), tol = 1e-6, ...)
```

Arguments

<code>mu</code>	length 2 numeric vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
<code>beta</code>	positive real number. The shape of the first distribution.
<code>xlim, ylim</code>	x-and y- limits.
<code>zlim</code>	z- limits. If NULL, it is the range of the values of the density on the x and y values within <code>xlim</code> and <code>ylim</code> .
<code>npt</code>	number of points for the discretisation.
<code>nx, ny</code>	number of points for the discretisation among the x- and y- axes.
<code>main, sub</code>	main and sub title, as for title .
<code>nlevels, levels</code>	arguments to be passed to the contour function.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Σ , for the estimation of the density. see mvdggd .
<code>...</code>	additional arguments to plot.window , title , Axis and box , typically graphical parameters such as <code>cex.axis</code> .

Value

Returns invisibly the probability density function.

Author(s)

Pierre Santagostini, Nizar Bouhlel

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600. [doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

See Also

[plotmvggd](#): plot of a bivariate generalised Gaussian density.

[mvdggd](#): Probability density of a multivariate generalised Gaussian distribution.

Examples

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
contourmvggd(mu, Sigma, beta)
```

estparmvggd

Estimation of the Parameters of a Multivariate Generalized Gaussian Distribution

Description

Estimation of the mean vector, dispersion matrix and shape parameter of a multivariate generalized Gaussian distribution (MGGD).

Usage

```
estparmvggd(x, eps = 1e-6, display = FALSE, plot = display)
```

Arguments

x	numeric matrix or data frame.
eps	numeric. Precision for the estimation of the beta parameter.
display	logical. When TRUE the value of the beta parameter at each iteration is printed.
plot	logical. When TRUE the successive values of the beta parameter are plotted, allowing to visualise its convergence.

Details

The μ parameter is the mean vector of x .

The dispersion matrix Σ and shape parameter: β are computed using the method presented in Pascal et al., using an iterative algorithm.

The precision for the estimation of beta is given by the eps parameter.

Value

A list of 3 elements:

- mu the mean vector.
- Sigma: symmetric positive-definite matrix. The dispersion matrix.
- beta non-negative numeric value. The shape parameter.

with two attributes `attr(, "epsilon")` (precision of the result) and `attr(, "k")` (number of iterations).

Author(s)

Pierre Santagostini, Nizar Bouhlef

References

F. Pascal, L. Bombrun, J.Y. Tournet, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. IEEE Trans. Signal Processing, vol. 61 no. 23, p. 5960-5971, Dec. 2013. doi: [10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909)

See Also

[mvdggd](#): probability density of a MGGD.

[mvrvggd](#): random generation from a MGGD.

Examples

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
x <- mvrvggd(100, mu, Sigma, beta)

# Estimation of the parameters
estparmvggd(x)
```

kldggd

Kullback-Leibler Divergence between Centered Multivariate generalized Gaussian Distributions

Description

Computes the Kullback- Leibler divergence between two random variables distributed according to multivariate generalized Gaussian distributions (MGGD) with zero means.

Usage

```
kldggd(Sigma1, beta1, Sigma2, beta2, eps = 1e-06)
```

Arguments

Sigma1	symmetric, positive-definite matrix. The dispersion matrix of the first distribution.
beta1	positive real number. The shape parameter of the first distribution.
Sigma2	symmetric, positive-definite matrix. The dispersion matrix of the second distribution.
beta2	positive real number. The shape parameter of the second distribution.
eps	numeric. Precision for the computation of the Lauricella function (see lauricella). Default: 1e-06.

Details

Given \mathbf{X}_1 , a random vector of \mathbb{R}^p ($p > 1$) distributed according to the MGGD with parameters $(\mathbf{0}, \Sigma_1, \beta_1)$ and \mathbf{X}_2 , a random vector of \mathbb{R}^p distributed according to the MGGD with parameters $(\mathbf{0}, \Sigma_2, \beta_2)$.

The Kullback-Leibler divergence between X_1 and X_2 is given by:

$$KL(\mathbf{X}_1 || \mathbf{X}_2) = \ln \left(\frac{\beta_1 |\Sigma_1|^{-1/2} \Gamma\left(\frac{p}{2\beta_2}\right)}{\beta_2 |\Sigma_2|^{-1/2} \Gamma\left(\frac{p}{2\beta_1}\right)} \right) + \frac{p}{2} \left(\frac{1}{\beta_2} - \frac{1}{\beta_1} \right) \ln 2 - \frac{p}{2\beta_2} + 2^{\frac{\beta_2}{\beta_1} - 1} \frac{\Gamma\left(\frac{\beta_2}{\beta_1} + \frac{p}{\beta_1}\right)}{\Gamma\left(\frac{p}{2\beta_1}\right)} \lambda_p^{\beta_2}$$

$$\times F_D^{(p-1)} \left(-\beta_1; \underbrace{\frac{1}{2}, \dots, \frac{1}{2}}_{p-1}; \frac{p}{2}; 1 - \frac{\lambda_{p-1}}{\lambda_p}, \dots, 1 - \frac{\lambda_1}{\lambda_p} \right)$$

where $\lambda_1 < \dots < \lambda_{p-1} < \lambda_p$ are the eigenvalues of the matrix $\Sigma_1 \Sigma_2^{-1}$ and $F_D^{(p-1)}$ is the Lauricella D -hypergeometric Function.

This computation uses the [lauricella](#) function.

When $p = 1$ (univariate case): let X_1 , a random variable distributed according to the generalized Gaussian distribution with parameters $(0, \sigma_1, \beta_1)$ and X_2 , a random variable distributed according to the generalized Gaussian distribution with parameters $(0, \sigma_2, \beta_2)$.

$$KL(X_1 || X_2) = \ln \left(\frac{\frac{\beta_1}{\sqrt{\sigma_1}} \Gamma\left(\frac{1}{2\beta_2}\right)}{\frac{\beta_2}{\sqrt{\sigma_2}} \Gamma\left(\frac{1}{2\beta_1}\right)} \right) + \frac{1}{2} \left(\frac{1}{\beta_2} - \frac{1}{\beta_1} \right) \ln 2 - \frac{1}{2\beta_2} + 2^{\frac{\beta_2}{\beta_1} - 1} \frac{\Gamma\left(\frac{\beta_2}{\beta_1} + \frac{1}{\beta_1}\right)}{\Gamma\left(\frac{1}{2\beta_1}\right)} \left(\frac{\sigma_1}{\sigma_2} \right)^{\beta_2}$$

Value

A numeric value: the Kullback-Leibler divergence between the two distributions, with two attributes `attr(, "epsilon")` (precision of the result of the Lauricella function; 0 if the distributions are univariate) and `attr(, "k")` (number of iterations).

Author(s)

Pierre Santagostini, Nizar Bouhlel

References

N. Bouhlef, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. doi:10.1109/LSP.2019.2915000

See Also

[mvdggd](#): probability density of a MGGD.

Examples

```
beta1 <- 0.74
beta2 <- 0.55
Sigma1 <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
Sigma2 <- matrix(c(1, 0.3, 0.2, 0.3, 0.5, 0.1, 0.2, 0.1, 0.7), nrow = 3)

# Kullback-Leibler divergence
kl12 <- kldggd(Sigma1, beta1, Sigma2, beta2)
kl21 <- kldggd(Sigma2, beta2, Sigma1, beta1)
print(kl12)
print(kl21)

# Distance (symmetrized Kullback-Leibler divergence)
kldist <- as.numeric(kl12) + as.numeric(kl21)
print(kldist)
```

lauricella

Lauricella D-Hypergeometric Function

Description

Computes the Lauricella D -hypergeometric Function function.

Usage

```
lauricella(a, b, g, x, eps = 1e-06)
```

Arguments

a	numeric.
b	numeric vector.
g	numeric.
x	numeric vector. x must have the same length as b.
eps	numeric. Precision for the nested sums (default 1e-06).

Details

If n is the length of the b and x vectors, the Lauricella D -hypergeometric Function function is given by:

$$F_D^{(n)}(a, b_1, \dots, b_n, g; x_1, \dots, x_n) = \sum_{m_1 \geq 0} \dots \sum_{m_n \geq 0} \frac{(a)_{m_1 + \dots + m_n} (b_1)_{m_1} \dots (b_n)_{m_n} x_1^{m_1} \dots x_n^{m_n}}{(g)_{m_1 + \dots + m_n} m_1! \dots m_n!}$$

where $(x)_p$ is the Pochhammer symbol (see [pochhammer](#)).

If $|x_i| < 1, i = 1, \dots, n$, this sum converges. Otherwise there is an error.

The eps argument gives the required precision for its computation. It is the attr(, "epsilon") attribute of the returned value.

Sometimes, the convergence is too slow and the required precision cannot be reached. If this happens, the attr(, "epsilon") attribute is the precision that was really reached.

Value

A numeric value: the value of the Lauricella function, with two attributes attr(, "epsilon") (precision of the result) and attr(, "k") (number of iterations).

Author(s)

Pierre Santagostini, Nizar Bouhlef

References

N. Bouhlef, A. Dziri, Jullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. doi:10.1109/LSP.2019.2915000

mvdggd

Density of a Multivariate Generalized Gaussian Distribution

Description

Density of the multivariate (p variables) generalized Gaussian distribution (MGGD) with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
mvdggd(x, mu, Sigma, beta, tol = 1e-6)
```

Arguments

<code>x</code>	length p numeric vector.
<code>mu</code>	length p numeric vector. The mean vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order p . The dispersion matrix.
<code>beta</code>	positive real number. The shape of the distribution.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Σ .

Details

The density function of a multivariate generalized Gaussian distribution is given by:

$$f(\mathbf{x}|\boldsymbol{\mu}, \Sigma, \beta) = \frac{\Gamma\left(\frac{p}{2}\right)}{\pi^{\frac{p}{2}} \Gamma\left(\frac{p}{2\beta}\right)} \frac{\beta}{2^{\frac{p}{2\beta}} |\Sigma|^{\frac{1}{2}}} e^{-\frac{1}{2}((\mathbf{x}-\boldsymbol{\mu})^T \Sigma^{-1} (\mathbf{x}-\boldsymbol{\mu}))^\beta}$$

When $p = 1$ (univariate case) it becomes:

$$f(x|\mu, \sigma, \beta) = \frac{\Gamma\left(\frac{1}{2}\right)}{\pi^{\frac{1}{2}} \Gamma\left(\frac{1}{2\beta}\right)} \frac{\beta}{2^{\frac{1}{2\beta}} \sigma^{\frac{1}{2}}} e^{-\left(\frac{(x-\mu)^2}{2\sigma}\right)^\beta} = \frac{\beta}{\Gamma\left(\frac{1}{2\beta}\right) 2^{\frac{1}{2\beta}} \sqrt{\sigma}} e^{-\left(\frac{(x-\mu)^2}{2\sigma}\right)^\beta}$$

Value

The value of the density.

Author(s)

Pierre Santagostini, Nizar Bouhlel

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600.
doi:[10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

See Also

[mvrngd](#): random generation from a MGGD.

[estparmvngd](#): estimation of the parameters of a MGGD.

[plotmvngd](#), [contourmvngd](#): plot of the probability density of a bivariate generalised Gaussian distribution.

Examples

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
mvdggd(c(0, 1, 4), mu, Sigma, beta)
mvdggd(c(1, 2, 3), mu, Sigma, beta)
```

mvrngd

Simulate from a Multivariate Generalized Gaussian Distribution

Description

Produces one or more samples from a multivariate (p variables) generalized Gaussian distribution (MGGD).

Usage

```
mvrngd(n = 1 , mu, Sigma, beta, tol = 1e-6)
```

Arguments

n	integer. Number of observations.
mu	length p numeric vector. The mean vector.
Sigma	symmetric, positive-definite square matrix of order p . The dispersion matrix.
beta	positive real number. The shape of the distribution.
tol	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Sigma.

Details

A sample from a centered MGGD with dispersion matrix Σ and shape parameter β can be generated using:

$$X = \tau \Sigma^{1/2} U$$

where U is a random vector uniformly distributed on the unit sphere and τ is such that $\tau^{2\beta}$ is generated from a distribution Gamma with shape parameter $\frac{p}{2\beta}$ and scale parameter 2.

This property is used to generate a sample from a MGGD.

Value

A matrix with p columns and n rows.

Author(s)

Pierre Santagostini, Nizar Bouhlel

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600.
[doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

See Also

[mvdggd](#): probability density of a MGGD..

[estparmvggd](#): estimation of the parameters of a MGGD.

Examples

```
mu <- c(0, 0, 0)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
mvrvggd(100, mu, Sigma, beta)
```

 plotmvggd

Plot of the Bivariate Generalised Gaussian Density

Description

Plots the probability density of the generalised Gaussian distribution with 2 variables with mean vector μ , dispersion matrix Σ and shape parameter β .

Usage

```
plotmvggd(mu, Sigma, beta, xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
          ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]), n = 101,
          xvals = NULL, yvals = NULL, xlab = "x", ylab = "y",
          zlab = "f(x,y)", col = "gray", tol = 1e-6, ...)
```

Arguments

<code>mu</code>	length 2 numeric vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
<code>beta</code>	positive real number. The shape of the first distribution.
<code>xlim, ylim</code>	x-and y- limits.
<code>n</code>	A one or two element vector giving the number of steps in the x and y grid, passed to plot3d.function .
<code>xvals, yvals</code>	The values at which to evaluate x and y. If used, <code>xlim</code> and/or <code>ylim</code> are ignored.
<code>xlab, ylab, zlab</code>	The axis labels.
<code>col</code>	The color to use for the plot. See plot3d.function .
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Σ , for the estimation of the density. see mvdggd .
<code>...</code>	Additional arguments to pass to plot3d.function .

Value

Returns invisibly the probability density function.

Author(s)

Pierre Santagostini, Nizar Bouhlel

References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600. [doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

See Also

[contourmvggd](#): contour plot of a bivariate generalised Gaussian density.

[mvdggd](#): Probability density of a multivariate generalised Gaussian distribution.

Examples

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
plotmvggd(mu, Sigma, beta)
```

pochhammer

Pochhammer Symbol

Description

Computes the Pochhammer symbol.

Usage

```
pochhammer(x, n)
```

Arguments

x	numeric.
n	positive integer.

Details

The Pochhammer symbol is given by:

$$(x)_n = \frac{\Gamma(x+n)}{\Gamma(x)} = x(x+1)\dots(x+n-1)$$

Value

Numeric value. The value of the Pochhammer symbol.

Author(s)

Pierre Santagostini, Nizar Bouhlel

Examples

```
pochhammer(2, 0)
pochhammer(2, 1)
pochhammer(2, 3)
```

Index

Axis, [3](#)

box, [3](#)

contour, [3](#)

contourmvffd, [2, 3, 9, 12](#)

estparmvffd, [2, 4, 9, 11](#)

graphical parameters, [3](#)

kldffd, [2, 5](#)

lauricella, [6, 7](#)

mggd (mggd-package), [2](#)

mggd-package, [2](#)

mvdff, [2-5, 7, 8, 11, 12](#)

mvrggd, [2, 5, 9, 10](#)

plot.window, [3](#)

plot3d.function, [11](#)

plotmvffd, [2, 4, 9, 11](#)

pochhammer, [8, 12](#)

title, [3](#)