

# Package ‘dail’

September 21, 2022

**Title** Data from Access to Information Law

**Version** 1.4

**Description** Downloads the public data available from the Brazilian Access to Information Law and performs a search on information requests and appeals made since 2015.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.2.1

**Imports** dplyr, magrittr, readr, stopwords, stringr, tidytext

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Depends** R (>= 2.10)

**NeedsCompilation** no

**Author** Igor Laltuf [aut, cre] (<<https://orcid.org/0000-0002-5614-4404>>)

**Maintainer** Igor Laltuf <igorlaltuf@gmail.com>

**Repository** CRAN

**Date/Publication** 2022-09-20 23:00:02 UTC

## R topics documented:

appeals	2
requests	2
<b>Index</b>	<b>4</b>

---

appeals	<i>Queries the appeals made through the Brazilian Right to Information Law</i>
---------	--

---

### Description

Downloads data for the selected years, apply a filter and return it in the form of a dataframe.

### Usage

```
appeals(year = "all", agency = "all", search = "all", answer = F)
```

### Arguments

year	selects the years which data will be downloaded. integer.
agency	selects the public agency to be searched. see the available agencies in agencies_initials. character.
search	selects the keyword to be searched. character.
answer	if true, fetches the content of the search argument in the appeals responses. boolean.

### Value

a dataframe with appeals containing the keyword

### Examples

```
## Not run: appeals(search = 'PAC')
```

---

requests	<i>Queries the requests made through the Brazilian Right to Information Law</i>
----------	---

---

### Description

Downloads data for the selected years, apply a filter and return it in the form of a dataframe.

### Usage

```
requests(year = "all", agency = "all", search = "all", answer = F)
```

**Arguments**

year	selects the years which data will be downloaded. integer.
agency	selects the public agency to be searched. see the available agencies in agencies_initials. character.
search	selects the keyword to be searched. character.
answer	if true, fetches the content of the search argument in the request responses. boolean.

**Value**

a dataframe with requests containing the keyword

**Examples**

```
## Not run: requests(search = 'PAC')
```

# Index

appeals, [2](#)

requests, [2](#)