

# Package ‘figpatch’

July 9, 2021

**Title** Easily Arrange External Figures with Patchwork Alongside  
'ggplot2' Figures

**Version** 0.1.0.1

**Description** For including external figures into an assembled  
{patchwork}. This enables the creation of more complex figures that include  
images alongside plots.

**License** MIT + file LICENSE

**URL** <https://github.com/BradyAJohnston/figpatch>

**BugReports** <https://github.com/BradyAJohnston/figpatch/issues>

**Imports** ggplot2, magick, patchwork

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**Suggests** spelling, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Language** en-US

**NeedsCompilation** no

**Author** Brady Johnston [aut, cre] (<<https://orcid.org/0000-0001-6301-2269>>)

**Maintainer** Brady Johnston <brady.johnston@me.com>

**Repository** CRAN

**Date/Publication** 2021-07-09 08:40:02 UTC

## R topics documented:

fig . . . . .	2
fig_lab . . . . .	3
fig_tag . . . . .	4
fig_wrap . . . . .	5
<b>Index</b>	<b>8</b>

---

**fig** *Parse Image to a Fig*

---

**Description**

Read image and convert to ggplot object, for use with other ggplot objects when assembling with the {patchwork} package. Can also specify a border.

**Usage**

```
fig(  
  path,  
  aspect.ratio = "default",  
  b_col = NULL,  
  b_size = 1,  
  b_pos = "offset",  
  b_margin = ggplot2::margin(4, 4, 4, 4)  
)
```

**Arguments**

path	Path to image file.
aspect.ratio	Manually override the image's aspect ratio or set "free" to allow fig to be resized by patchwork.
b_col	Colour of the border line.
b_size	Size of the border line.
b_pos	Whether the border is 'offset' (expands out from figure) or 'inset' and expands inwards, partially covering up the figure.
b_margin	Margin around the fig. Use ggplot2::margin()

**Value**

{ggplot2} object

**Examples**

```
library(figpatch)  
library(ggplot2)  
  
# Attach the fig image file  
image <- system.file("extdata", "fig.png", package = "figpatch", mustWork = TRUE)  
  
# Read in the image as a 'fig'  
img <- fig(image)  
  
img
```

---

`fig_lab`*Add Label to a Fig*

---

**Description**

Add Label to a Fig

**Usage**

```
fig_lab(  
  fig,  
  lab,  
  pos = "bottom",  
  fontfamily = NULL,  
  fontface = NULL,  
  colour = NULL,  
  size = NULL,  
  lineheight = NULL,  
  hjust = NULL,  
  vjust = NULL,  
  angle = NULL,  
  margin = ggplot2::margin(4, 4, 4, 4)  
)
```

**Arguments**

<code>fig</code>	Fig to be labelled.
<code>lab</code>	String of label to be added to the fig.
<code>pos</code>	Position of the fig, either 'top', 'bottom', 'left', or 'right'.
<code>fontfamily</code>	Font family for the label.
<code>fontface</code>	Font face for the label (i.e. "italic")
<code>colour</code>	Colour of the label text.
<code>size</code>	Size of the label text.
<code>lineheight</code>	Lineheight of the label text.
<code>hjust</code>	hjust of the label text.
<code>vjust</code>	vjust of the label text.
<code>angle</code>	Angle of the label text.
<code>margin</code>	Margin around the label text. Use <code>ggplot2::margin()</code>

**Value**

{ggplot2} object

## Examples

```
library(figpatch)
library(ggplot2)

# Attach the fig image file
image <- system.file("extdata", "fig.png", package = "figpatch", mustWork = TRUE)

# Read in the image as a 'fig'
img <- fig(image)

# add the fig label
fig_lab(
  img,
  lab = "Below you will find a fig!",
  pos = "top",
  size = 20
)
```

---

fig\_tag

*Add tags and a caption to a fig.*

---

## Description

Add tags and a caption to a fig.

## Usage

```
fig_tag(
  plot,
  tag,
  pos = "topleft",
  x_nudge = 0,
  y_nudge = 0,
  colour = NULL,
  alpha = NULL,
  hjust = NULL,
  vjust = NULL,
  fontsize = 12,
  fontface = NULL,
  fontfamily = NULL
)
```

## Arguments

plot	Plot from img2plot function.
tag	Label to add to plot.

pos	Position of label (Default 'topleft').
x_nudge	Minor adjustments to the x position in relative plot coordinates (0 being furthest left, 1 being furthest right).
y_nudge	Minor adjustments to the y position in relative plot coordinates (0 being the bottom, 1 being the top).
colour	Colour of label text.
alpha	Alpha of label text.
hjust	hjust of plot label.
vjust	vjust of plot label.
fontsize	Fontsize of label (in points).
fontface	The font face (bold, italic, ...)
fontfamily	Fontfamily of plot label.

**Value**

{ggplot2} object

**Examples**

```
library(figpatch)
library(ggplot2)

# Attach the fig image file
image <- system.file("extdata", "fig.png",
  package = "figpatch", mustWork =
    TRUE
)

# Read in the image as a 'fig'
img <- fig(image)

# Add tags on top of the figs
img1 <- fig_tag(img, "A")
img2 <- fig_tag(img, "B", pos = "topright")

# assemble the patchwork
patchwork::wrap_plots(img1, img2)
```

---

fig\_wrap

*Quickly arrange and label multiple figs.*

---

**Description**

Quickly arrange and label multiple figs.

**Usage**

```

fig_wrap(
  figs,
  tag = NULL,
  prefix = NULL,
  suffix = NULL,
  pos = "topleft",
  x_nudge = 0,
  y_nudge = 0,
  nrow = NULL,
  ncol = NULL,
  colour = NULL,
  alpha = NULL,
  hjust = NULL,
  vjust = NULL,
  fontsize = NULL,
  fontfamily = NULL,
  fontface = NULL,
  b_col = NULL,
  b_size = 1,
  b_pos = "offset",
  b_margin = ggplot2::margin(4, 4, 4, 4)
)

```

**Arguments**

figs	List of figs from fig().
tag	Tags to be applied to figs. Begins with first uppercase or lowercase letter supplied, or number, and continues the sequence. "A" labels them 'A', 'B', etc. "c" labels them 'c', 'd', 'e' etc.
prefix	Prefix for each tag
suffix	Suffix for each tag
pos	Position for label, to be passed to fig_tag().
x_nudge	Minor adjustments to the x position in relative plot coordinates (0 being furthest left, 1 being furthest right).
y_nudge	Minor adjustments to the y position in relative plot coordinates (0 being the bottom, 1 being the top).
nrow	Number of rows in final patchwork.
ncol	Number of cols in final patchwork.
colour	Colour for each tag
alpha	Alpha for each tag
hjust	hjust for each tag
vjust	vjust for each tag
fontsize	Fontsize for each tag

fontfamily	Fontfamily for each tag
fontface	Fontface for each tag
b_col	Colour of individual fig borders.
b_size	Size of individual fig borders (in mm).
b_pos	Either "offset" and expanding outwards from borders of figure, or "inset" and expanding inwards and partially covering the figure.
b_margin	Margins to adjust around the figs. Use <code>ggplot2::margin()</code>

**Value**

patchwork patch of supplied figs.

**Examples**

```
library(figpatch)
library(ggplot2)

# Attach the fig image file
image <- system.file("extdata", "fig.png", package = "figpatch", mustWork = TRUE)

# Read in the image as a 'fig'
img <- fig(image)

# multiple figs
figs <- lapply(1:9, function(x) img)

# wrap the figs
fig_wrap(figs)

# Wrap the figs and auto-tag
fig_wrap(figs, tag = "A", suffix = ")")

# Wrap figs, auto-tag and adds border.
fig_wrap(figs, tag = 1, prefix = "(", suffix = ")", b_col = "black")
```

# Index

fig, 2  
fig\_lab, 3  
fig\_tag, 4  
fig\_wrap, 5