

# Package ‘weathermetrics’

May 19, 2016

**Type** Package

**Title** Functions to Convert Between Weather Metrics

**Version** 1.2.2

**Date** 2016-05-19

**Description** Functions to convert between weather metrics, including conversions for metrics of temperature, air moisture, wind speed, and precipitation. This package also includes functions to calculate the heat index from air temperature and air moisture.

**URL** <https://github.com/geanders/weathermetrics/>

**BugReports** <https://github.com/geanders/weathermetrics/issues>

**License** GPL-2

**LazyData** true

**RoxygenNote** 5.0.1

**Depends** R (>= 2.10)

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Brooke Anderson [aut, cre],  
Roger Peng [aut],  
Joshua Ferreri [aut]

**Maintainer** Brooke Anderson <[brooke.anderson@colostate.edu](mailto:brooke.anderson@colostate.edu)>

**Repository** CRAN

**Date/Publication** 2016-05-19 23:19:30

## R topics documented:

angeles	2
beijing	3
breck	3

celsius.to.fahrenheit . . . . .	4
celsius.to.kelvin . . . . .	5
convert_precip . . . . .	6
convert_temperature . . . . .	7
convert_wind_speed . . . . .	8
dewpoint.to.humidity . . . . .	9
fahrenheit.to.celsius . . . . .	10
fahrenheit.to.kelvin . . . . .	11
foco . . . . .	12
heat.index . . . . .	12
heat.index.algorithm . . . . .	14
humidity.to.dewpoint . . . . .	15
inches_to_metric . . . . .	16
kelvin.to.celsius . . . . .	17
kelvin.to.fahrenheit . . . . .	18
knots_to_speed . . . . .	19
loveland . . . . .	21
lyon . . . . .	21
metric_to_inches . . . . .	22
newhaven . . . . .	23
norfolk . . . . .	23
puravida . . . . .	24
speed_to_knots . . . . .	24
suffolk . . . . .	25
weathermetrics . . . . .	26

<b>Index</b>	<b>27</b>
--------------	-----------

---

angeles

*Weather in Los Angeles, CA*

---

## Description

Daily values of mean temperature (Kelvin) and mean dew point temperature (Kelvin) for the week of December 19, 2010, in Los Angeles, CA.

## Usage

angeles

## Format

A data frame 7 rows and 3 variables:

**date** Date of weather observation

**TemperatureK** Daily mean temperature in Kelvin

**DewpointK** Daily mean dewpoint temperature in Kelvin

**Source**

[Weather Underground](#)

---

beijing

*Weather in Beijing, China*

---

**Description**

A dataset containing daily values of mean temperature (Fahrenheit) and mean wind speed (in miles per hour, meters per second, feet per seconds, and kilometers per hour) for the week of January 10, 2015, in Beijing, China.

**Usage**

beijing

**Format**

A data frame with 7 rows and 3 variables:

**date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**MPH** Daily mean wind speed in miles per hour

**mps** Daily mean wind speed in meters per second

**ftps** Daily mean wind speed in feet per second

**kmph** Daily mean wind speed in kilometers per hour

**Source**

[Weather Underground](#)

---

breck

*Precipitation in Breckenridge, CO*

---

**Description**

Daily values of precipitation (inches) for the week of June 28, 2015, in Breckenridge, CO.

**Usage**

breck

**Format**

A data frame 7 rows and 2 variables:

**date** Date of weather observation

**Precip.in** Daily precipitation in inches

**Source**

[Weather Underground](#)

---

celsius.to.fahrenheit *Convert from Celsius to Fahrenheit.*

---

**Description**

celsius.to.fahrenheit creates a numeric vector of temperatures in Fahrenheit from a numeric vector of temperatures in Celsius.

**Usage**

```
celsius.to.fahrenheit(T.celsius, round = 2)
```

**Arguments**

T.celsius      Numeric vector of temperatures in Celsius.

round          An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Fahrenheit.

**Note**

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

**Author(s)**

Brooke Anderson <brooke.anderson@colostate.edu>, Roger Peng <rdpeng@gmail.com>

**See Also**

[fahrenheit.to.celsius](#)

**Examples**

```
# Convert from Celsius to Fahrenheit.
data(lyon)
lyon$TemperatureF <- celsius.to.fahrenheit(lyon$TemperatureC)
lyon
```

---

celsius.to.kelvin      *Convert from Celsius to Kelvin.*

---

**Description**

celsius.to.kelvin creates a numeric vector of temperatures in Kelvin from a numeric vector of temperatures in Celsius.

**Usage**

```
celsius.to.kelvin(T.celsius, round = 2)
```

**Arguments**

T.celsius	Numeric vector of temperatures in Celsius.
round	An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Kelvin.

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Association's [online temperature converter](#).

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**See Also**

[kelvin.to.celsius](#)

**Examples**

```
# Convert from Celsius to Kelvin.
data(lyon)
lyon$TemperatureK <- celsius.to.kelvin(lyon$TemperatureC)
lyon
```

---

convert_precip	<i>Convert between precipitation metrics</i>
----------------	--

---

### Description

This function allows you to convert among the following precipitation metrics: inches, millimeters, and centimeters.

### Usage

```
convert_precip(precip, old_metric, new_metric, round = 2)
```

### Arguments

precip	A numerical vector of precipitation to be converted.
old_metric	The metric from which you want to convert. Possible options are: <ul style="list-style-type: none"><li>• inches: Inches</li><li>• mm: Millimeters</li><li>• cm: Centimeters</li></ul>
new_metric	The metric to which you want to convert. The same options are possible as for old_metric.
round	An integer indicating the number of decimal places to round the converted value.

### Value

A numeric vector with precipitation converted to the metric specified by the argument new\_metric.

### Author(s)

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

### Examples

```
data(breck)
breck$Precip.mm <- convert_precip(breck$Precip.in,
  old_metric = "inches", new_metric = "mm", round = 2)
breck

data(loveland)
loveland$Precip.in <- convert_precip(loveland$Precip.mm,
  old_metric = "mm", new_metric = "inches", round = NULL)
loveland$Precip.cm <- convert_precip(loveland$Precip.mm,
  old_metric = "mm", new_metric = "cm", round = 3)
loveland
```

---

convert\_temperature     *Convert from one temperature metric to another*

---

### Description

This function allows you to convert a vector of temperature values between Fahrenheit, Celsius, and degrees Kelvin.

### Usage

```
convert_temperature(temperature, old_metric, new_metric, round = 2)
```

### Arguments

temperature	A numeric vector of temperatures to be converted.
old_metric	The metric from which you want to convert. Possible options are: <ul style="list-style-type: none"><li>• fahrenheit, f</li><li>• kelvin, k</li><li>• celsius, c</li></ul>
new_metric	The metric to which you want to convert. The same options are possible as for old_metric.
round	An integer indicating the number of decimal places to round the converted value.

### Value

A numeric vector with temperature converted to the metric specified by the argument new\_metric.

### Author(s)

#' Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

### Examples

```
data(lyon)
lyon$TemperatureF <- convert_temperature(lyon$TemperatureC,
  old_metric = "c", new_metric = "f")
lyon

data(norfolk)
norfolk$TempC <- convert_temperature(norfolk$TemperatureF,
  old_metric = "f", new_metric = "c")
norfolk

data(angeles)
angeles$TemperatureC <- convert_temperature(angeles$TemperatureK,
  old_metric = "kelvin", new_metric = "celsius")
angeles
```

---

convert\_wind\_speed      *Convert between wind speed metrics*

---

### Description

This function allows you to convert among the following wind speed metrics: knots, miles per hour, meters per second, feet per second, and kilometers per hour.

### Usage

```
convert_wind_speed(wind_speed, old_metric, new_metric, round = 1)
```

### Arguments

wind_speed	A numerical vector of wind speeds to be converted.
old_metric	The metric from which you want to convert. Possible options are: <ul style="list-style-type: none"><li>• knots: Knots</li><li>• mph: Miles per hour</li><li>• mps: Meters per second</li><li>• ftps: Feet per second</li><li>• kmph: Kilometers per hour</li></ul>
new_metric	The metric to which you want to convert. The same options are possible as for old_metric.
round	An integer indicating the number of decimal places to round the converted value.

### Value

A numeric vector with wind speed converted to the metric specified by the argument new\_metric.

### Author(s)

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

### Examples

```
data(beijing)
beijing$knots <- convert_wind_speed(beijing$kmph,
  old_metric = "kmph", new_metric = "knots")
beijing

data(foco)
foco$mph <- convert_wind_speed(foco$knots, old_metric = "knots",
  new_metric = "mph", round = 0)
foco$mph <- convert_wind_speed(foco$knots, old_metric = "knots",
  new_metric = "mps", round = NULL)
foco$kmph <- convert_wind_speed(foco$mph, old_metric = "mph",
```



```
    new_metric = "kmph")  
foco
```

---

dewpoint.to.humidity *Calculate relative humidity.*

---

### Description

dewpoint.to.humidity creates a numeric vector of relative humidity from numerical vectors of air temperature and dew point temperature.

### Usage

```
dewpoint.to.humidity(dp = NA, t = NA, temperature.metric = "fahrenheit")
```

### Arguments

dp	Numeric vector of dew point temperatures.
t	Numeric vector of air temperatures.
temperature.metric	Character string indicating the temperature metric of air temperature and dew point temperature. Possible values are fahrenheit or celsius.

### Details

Dew point temperature and temperature must be in the same metric (i.e., either both in Celsius or both in Fahrenheit). If necessary, use [convert\\_temperature](#) to convert before using this function.

### Value

A numeric vector of relative humidity (in %)

### Note

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

### Author(s)

Brooke Anderson <brooke.anderson@colostate.edu>, Roger Peng <rdpeng@gmail.com>

### References

National Weather Service Hydrometeorological Prediction Center Web Team. Heat Index Calculator. 30 Jan 2015. <http://www.wpc.ncep.noaa.gov/html/heatindex.shtml>. Accessed 18 Dec 2015.

**See Also**

[humidity.to.dewpoint](#), [fahrenheit.to.celsius](#), [celsius.to.fahrenheit](#), [convert\\_temperature](#)

**Examples**

```
# Calculate relative humidity from air temperature and
# dew point temperature.

data(lyon)
lyon$RH <- dewpoint.to.humidity(t = lyon$TemperatureC,
                               dp = lyon$DewpointC,
                               temperature.metric = 'celsius')

lyon
```

---

`fahrenheit.to.celsius` *Convert from Fahrenheit to Celsius.*

---

**Description**

`fahrenheit.to.celsius` creates a numeric vector of temperatures in Celsius from a numeric vector of temperatures in Fahrenheit.

**Usage**

```
fahrenheit.to.celsius(T.fahrenheit, round = 2)
```

**Arguments**

`T.fahrenheit` Numeric vector of temperatures in Fahrenheit.  
`round` An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Celsius.

**Note**

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

**Author(s)**

Brooke Anderson <[brooke.anderson@colostate.edu](mailto:brooke.anderson@colostate.edu)>, Roger Peng <[rdpeng@gmail.com](mailto:rdpeng@gmail.com)>

**See Also**

[celsius.to.fahrenheit](#)

**Examples**

```
# Convert from Fahrenheit to Celsius.
data(norfolk)
norfolk$TempC <- fahrenheit.to.celsius(norfolk$TemperatureF)
norfolk
```

---

```
fahrenheit.to.kelvin Convert from Fahrenheit to Kelvin.
```

---

**Description**

fahrenheit.to.kelvin creates a numeric vector of temperatures in Kelvin from a numeric vector of temperatures in Fahrenheit.

**Usage**

```
fahrenheit.to.kelvin(T.fahrenheit, round = 2)
```

**Arguments**

T.fahrenheit    Numeric vector of temperatures in Fahrenheit.  
round            An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Kelvin.

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Association's [online temperature converter](#).

**Author(s)**

#' Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**See Also**

[kelvin.to.fahrenheit](#)

**Examples**

```
# Convert from Fahrenheit to Kelvin.
data(norfolk)
norfolk$TemperatureK <- fahrenheit.to.kelvin(norfolk$TemperatureF)
norfolk
```

---

foco	<i>Weather in Fort Collins, CO</i>
------	------------------------------------

---

**Description**

A dataset containing daily values of mean temperature (Fahrenheit) and mean wind speed (in knots) for the week of October 11, 2015, in Fort Collins, CO.

**Usage**

```
foco
```

**Format**

A data frame with 7 rows and 3 variables:

**date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**knots** Daily mean wind speed in knots

**Source**

[Weather Underground](#)

---

heat.index	<i>Calculate heat index.</i>
------------	------------------------------

---

**Description**

heat.index creates a numeric vector of heat index values from numeric vectors of air temperature and either relative humidity or dew point temperature.

**Usage**

```
heat.index(t = NA, dp = c(), rh = c(),
           temperature.metric = "fahrenheit", output.metric = NULL, round = 0)
```

**Arguments**

t	Numeric vector of air temperatures.
dp	Numeric vector of dew point temperatures.
rh	Numeric vector of relative humidity (in %).
temperature.metric	Character string indicating the temperature metric of air temperature and dew point temperature. Possible values are 'fahrenheit' or 'celsius'.

`output.metric` Character string indicating the metric into which heat index should be calculated. Possible values are 'fahrenheit' or 'celsius'.

`round` Integer indicating the number of decimal places to round converted value.

### Details

Include air temperature (`t`) and either dew point temperature (`dp`) or relative humidity (`rh`). You cannot specify both dew point temperature and relative humidity– this will return an error. Heat index is calculated as NA when impossible values of dew point temperature or humidity are input (e.g., humidity above 100% or below 0%, dew point temperature above air temperature).

### Value

A numeric vector of heat index values in the metric specified by `output.metric`. (If `output.metric` is not specified, heat index will be returned in the same metric in which air temperature was input, specified by `temperature.metric`.)

### Note

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

### Author(s)

Brooke Anderson <[brooke.anderson@colostate.edu](mailto:brooke.anderson@colostate.edu)>, Roger Peng <[rdpeng@gmail.com](mailto:rdpeng@gmail.com)>

### References

- Anderson GB, Bell ML, Peng RD. 2013. Methods to calculate the heat index as an exposure metric in environmental health research. *Environmental Health Perspectives* 121(10):1111-1119.
- National Weather Service Hydrometeorological Prediction Center Web Team. Heat Index Calculator. 30 Jan 2015. <http://www.wpc.ncep.noaa.gov/html/heatindex.shtml>. Accessed 18 Dec 2015.
- Rothfus L. 1990. The heat index (or, more than you ever wanted to know about heat index) (Technical Attachment SR 90-23). Fort Worth: Scientific Services Division, National Weather Service.
- R. Steadman, 1979. The assessment of sultriness. Part I: A temperature-humidity index based on human physiology and clothing science. *Journal of Applied Meteorology*, 18(7):861–873.

### Examples

```
# Calculate heat index from temperature (in Fahrenheit)
# and relative humidity.

data(suffolk)
suffolk$heat.index <- heat.index(t = suffolk$TemperatureF,
                                rh = suffolk$Relative.Humidity)
suffolk
```

```
# Calculate heat index (in Celsius) from temperature (in
# Celsius) and dew point temperature (in Celsius).

data(lyon)
lyon$heat.index <- heat.index(t = lyon$TemperatureC,
                             dp = lyon$DewpointC,
                             temperature.metric = 'celsius',
                             output.metric = 'celsius')

lyon
```

---

heat.index.algorithm *Algorithm for heat.index function.*

---

### Description

heat.index.algorithm converts a numeric scalar of temperature (in Fahrenheit) and a numeric scalar of relative humidity (in %) to heat index (in Fahrenheit). This function is not meant to be used outside of the [heat.index](#) function.

### Usage

```
heat.index.algorithm(t = NA, rh = NA)
```

### Arguments

t	Numeric scalar of air temperature, in Fahrenheit.
rh	Numeric scalar of relative humidity, in %.

### Details

If an impossible value of relative humidity is given (below 0% or above 100%), heat index is returned as NA.

### Value

A numeric scalar of heat index, in Fahrenheit.

### Note

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

### Author(s)

Brooke Anderson <brooke.anderson@colostate.edu>, Roger Peng <rdpeng@gmail.com>

## References

Anderson GB, Bell ML, Peng RD. 2013. Methods to calculate the heat index as an exposure Metric in environmental health research. *Environmental Health Perspectives* 121(10):1111-1119.

National Weather Service Hydrometeorological Prediction Center Web Team. Heat Index Calculator. 30 Jan 2015. <http://www.wpc.ncep.noaa.gov/html/heatindex.shtml>. Accessed 18 Dec 2015.

Rothfusz L. 1990. The heat index (or, more than you ever wanted to know about heat index) (Technical Attachment SR 90-23). Fort Worth: Scientific Services Division, National Weather Service.

R. Steadman, 1979. The assessment of sultriness. Part I: A temperature-humidity index based on human physiology and clothing science. *Journal of Applied Meteorology*, 18(7):861-873.

## See Also

[heat.index](#)

---

humidity.to.dewpoint *Calculate dew point temperature.*

---

## Description

humidity.to.dewpoint creates a numeric vector of dew point temperature from numeric vectors of air temperature and relative humidity.

## Usage

```
humidity.to.dewpoint(rh = NA, t = NA, temperature.metric = "fahrenheit")
```

## Arguments

rh	Numeric vector of relative humidity (in %).
t	Numeric vector of air temperatures.
temperature.metric	Character string indicating the temperature metric of air temperature. Possible values are <code>fahrenheit</code> or <code>celsius</code> .

## Details

Dew point temperature will be calculated in the same metric as the temperature vector (as specified by the `temperature.metric` option). If you'd like dew point temperature in a different metric, use the function [celsius.to.fahrenheit](#) or [fahrenheit.to.celsius](#) on the output from this function.

## Value

A numeric vector of dew point temperature, in the same metric as the temperature vector (as specified by the `temperature.metric` option).

**Note**

Equations are from the source code for the US National Weather Service's [online heat index calculator](#).

**Author(s)**

Brooke Anderson <brooke.anderson@colostate.edu>, Roger Peng <rdpeng@gmail.com>

**References**

National Weather Service Hydrometeorological Prediction Center Web Team. Heat Index Calculator. 30 Jan 2015. <http://www.wpc.ncep.noaa.gov/html/heatindex.shtml>. Accessed 18 Dec 2015.

**See Also**

[dewpoint.to.humidity](#), [fahrenheit.to.celsius](#), [celsius.to.fahrenheit](#)

**Examples**

```
# Calculate dew point temperature from relative humidity and
# air temperature.

data(newhaven)
newhaven$DP <- humidity.to.dewpoint(t = newhaven$TemperatureF,
                                   rh = newhaven$Relative.Humidity,
                                   temperature.metric = 'fahrenheit')

newhaven
```

---

inches_to_metric	<i>Convert from inches to standard metric units of measure for precipitation</i>
------------------	--

---

**Description**

`inches_to_metric` creates a numeric vector of precipitation in common metric units (millimeters or centimeters) from a numeric vector of precipitation in inches.

**Usage**

```
inches_to_metric(inches, unit, round = 2)
```



**Arguments**

inches	Numeric vector of precipitation (in inches)
unit	Character specifying the metric precipitation unit besides inches. Possible values are: <ul style="list-style-type: none"><li>• mm: Millimeters</li><li>• cm: Centimeters</li></ul>
round	An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of precipitation (in specified metric unit)

**Note**

Equations are from the source code for the National Weather Service Forecast Office <http://www.srh.noaa.gov/ama/?n=conversions>

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**References**

<http://www.srh.noaa.gov/ama/?n=conversions>

**See Also**

[metric\\_to\\_inches](#)

**Examples**

```
data(breck)
breck$Precip.mm <- inches_to_metric(breck$Precip.in,
                                   unit = "mm",
                                   round = 2)
breck
```

---

kelvin.to.celsius      *Convert from Kelvin to Celsius.*

---

**Description**

kelvin.to.celsius creates a numeric vector of temperatures in Celsius from a numeric vector of temperatures in Kelvin.

**Usage**

```
kelvin.to.celsius(T.kelvin, round = 2)
```

**Arguments**

T.kelvin	Numeric vector of temperatures in Kelvin.
round	An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Celsius.

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Association's [online temperature converter](#).

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**See Also**

[celsius.to.kelvin](#)

**Examples**

```
# Convert from Kelvin to Celsius.  
data(angeles)  
angeles$TemperatureC <- kelvin.to.celsius(angeles$TemperatureK)  
angeles
```

---

kelvin.to.fahrenheit *Convert from Kelvin to Fahrenheit.*

---

**Description**

kelvin.to.fahrenheit creates a numeric vector of temperatures in Fahrenheit from a numeric vector of temperatures in Kelvin.

**Usage**

```
kelvin.to.fahrenheit(T.kelvin, round = 2)
```

**Arguments**

T.kelvin      Numeric vector of temperatures in Kelvin.  
round      An integer indicating the number of decimal places to round the converted value.

**Value**

A numeric vector of temperature values in Fahrenheit.

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Association's [online temperature converter](#).

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**See Also**

[fahrenheit.to.kelvin](#)

**Examples**

```
# Convert from Kelvin to Fahrenheit.  
data(angeles)  
angeles$TemperatureF <- kelvin.to.fahrenheit(angeles$TemperatureK)  
angeles
```

---

knots\_to\_speed

*Convert from knots to standard units of wind speed*

---

**Description**

knots\_to\_speed creates a numeric vector of speed, in units specified by unit, from a numeric vector of speed in knots.

**Usage**

```
knots_to_speed(knots, unit, round = 1)
```

**Arguments**

knots	Numeric vector of speeds in knots
unit	Character specifying the speed unit other than knots. Possible values are: <ul style="list-style-type: none"><li>• mph: Miles per hour</li><li>• mps: Meters per second</li><li>• ftps: Feet per second</li><li>• kmph: Kilometers per hour</li></ul>
round	An integer indicating the number of decimal places to round the converted value.

**Details**

Output will be in the speed units specified by `unit`.

**Value**

A numeric vector of speeds (in the specified unit)

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Administration's [online wind speed converter](#)

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**References**

[http://www.srh.noaa.gov/epz/?n=wxcalc\\_windconvert](http://www.srh.noaa.gov/epz/?n=wxcalc_windconvert)

**See Also**

[speed\\_to\\_knots](#)

**Examples**

```
data(foco)
foco$mph <- knots_to_speed(foco$knots, unit = "mph", round = 0)
foco$mps <- knots_to_speed(foco$knots, unit = "mps", round = NULL)
foco$ftps <- knots_to_speed(foco$knots, unit = "ftps")
foco$kmph <- knots_to_speed(foco$knots, unit = "kmph")
foco
```

---

loveland	<i>Precipitation in Loveland, CO</i>
----------	--------------------------------------

---

**Description**

Daily values of precipitation (millimeters) for the week of September 8, 2013, in Loveland, CO.

**Usage**

loveland

**Format**

A data frame 7 rows and 2 variables:

**date** Date of weather observation

**Precip.mm** Daily precipitation in millimeters

**Source**

[Weather Underground](#)

---

lyon	<i>Weather in Lyon, France</i>
------	--------------------------------

---

**Description**

Daily values of mean temperature (Celsius) and mean dew point temperature (Celsius) for the week of June 18, 2000, in Lyon, France.

**Usage**

lyon

**Format**

A data frame with columns:

**Date** Date of weather observation

**TemperatureC** Daily mean temperature in Celsius

**DewpointC** Daily mean dewpoint temperature in Celsius

**Source**

[Weather Underground](#)



---

newhaven	<i>Weather in New Haven, CT</i>
----------	---------------------------------

---

**Description**

Daily values of mean temperature (Fahrenheit) and mean relative humidity (%) for the week of October 19, 2008, in New Haven, CT.

**Usage**

newhaven

**Format**

A data frame with columns:

**Date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**Relative.Humidity** Daily relative humidity in %

**Source**

[Weather Underground](#)

---

norfolk	<i>Weather in Norfolk, VA</i>
---------	-------------------------------

---

**Description**

Daily values of mean temperature (Fahrenheit) and mean dew point temperature (Fahrenheit) for the week of March 12, 2006, in Norfolk, VA.

**Usage**

norfolk

**Format**

A data frame with columns:

**Date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**DewpointF** Daily mean dewpoint temperature in Fahrenheit

**Source**

[Weather Underground](#)

---

puravida *Weather in San Jose, Costa Rica*

---

### Description

Daily values of mean temperature (Fahrenheit) and mean wind speed (miles per hour) for the week of August 02, 2015, in San Jose, Costa Rica.

### Usage

```
puravida
```

### Format

A data frame 7 rows and 3 variables:

**date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**mph** Daily mean wind speed in miles per hour

### Source

[Weather Underground](#)

---

speed\_to\_knots *Convert between standard units of measure for wind speed*

---

### Description

speed\_to\_knots creates a numeric vector of speed in knots from a numeric vector of speed in the specified unit.

### Usage

```
speed_to_knots(x, unit, round = 1)
```

### Arguments

x	Numeric vector of wind speeds, in units specified by unit
unit	Character specifying the speed unit other than knots. Possible values are: <ul style="list-style-type: none"> <li>• mph: Miles per hour</li> <li>• mps: Meters per second</li> <li>• ftps: Feet per second</li> <li>• kmph: Kilometers per hour</li> </ul>
round	An integer indicating the number of decimal places to round the converted value.



**Value**

A numeric vector of speeds (in knots)

**Note**

Equations are from the source code for the National Oceanic and Atmospheric Administration's [online wind speed converter](#)

**Author(s)**

Joshua Ferreri <joshua.m.ferreri@gmail.com>, Brooke Anderson <brooke.anderson@colostate.edu>

**References**

[http://www.srh.noaa.gov/epz/?n=wxcalc\\_windconvert](http://www.srh.noaa.gov/epz/?n=wxcalc_windconvert)

**See Also**

[knots\\_to\\_speed](#)

**Examples**

```
data(beijing)
beijing$knobs <- speed_to_knots(beijing$kmph, unit = "kmph", round = 2)
beijing
```

---

suffolk

*Weather in Suffolk, VA*

---

**Description**

Daily values of mean temperature (Fahrenheit) and mean relative humidity (%) for the week of July 12, 1998, in Suffolk, VA.

**Usage**

```
suffolk
```

**Format**

A data frame with columns:

**Date** Date of weather observation

**TemperatureF** Daily mean temperature in Fahrenheit

**Relative.Humidity** Daily relative humidity in %

**Source**

[Weather Underground](#)

---

weathermetrics

*weathermetrics: Functions to convert between weather metrics*

---

### **Description**

The weathermetrics package provides functions to convert between Celsius and Fahrenheit, to convert between dew point temperature and relative humidity, and to calculate heat index.

### **weathermetrics functions**

This package includes the following functions to calculate vectors of weather metrics: `celsius.to.fahrenheit`, `fahrenheit.to.celsius`, `dewpoint.to.humidity`, `humidity.to.dewpoint`, and `heat.index`.

### **Author(s)**

Brooke Anderson <brooke.anderson@colostate.edu>, Joshua Ferreri <joshua.m.ferreri@gmail.com>, Roger Peng <rdpeng@gmail.com>

### **References**

Anderson GB, Bell ML, Peng RD. 2013. Methods to calculate the heat index as an exposure Metric in environmental health research. *Environmental Health Perspectives* 121(10):1111-1119.

National Weather Service Hydrometeorological Prediction Center Web Team. Heat Index Calculator. 30 Jan 2015. <http://www.wpc.ncep.noaa.gov/html/heatindex.shtml>. Accessed 18 Dec 2015.

# Index

## \*Topic **datasets**

- angeles, [2](#)
  - beijing, [3](#)
  - breck, [3](#)
  - foco, [12](#)
  - loveland, [21](#)
  - lyon, [21](#)
  - newhaven, [23](#)
  - norfolk, [23](#)
  - puravida, [24](#)
  - suffolk, [25](#)
- [angeles](#), [2](#)
- [beijing](#), [3](#)
- [breck](#), [3](#)
- [celsius.to.fahrenheit](#), [4](#), [10](#), [15](#), [16](#), [26](#)
- [celsius.to.kelvin](#), [5](#), [18](#)
- [convert\\_precip](#), [6](#)
- [convert\\_temperature](#), [7](#), [9](#), [10](#)
- [convert\\_wind\\_speed](#), [8](#)
- [dewpoint.to.humidity](#), [9](#), [16](#), [26](#)
- [fahrenheit.to.celsius](#), [4](#), [10](#), [10](#), [15](#), [16](#), [26](#)
- [fahrenheit.to.kelvin](#), [11](#), [19](#)
- [foco](#), [12](#)
- [heat.index](#), [12](#), [14](#), [15](#), [26](#)
- [heat.index.algorithm](#), [14](#)
- [humidity.to.dewpoint](#), [10](#), [15](#), [26](#)
- [inches\\_to\\_metric](#), [16](#), [22](#)
- [kelvin.to.celsius](#), [5](#), [17](#)
- [kelvin.to.fahrenheit](#), [11](#), [18](#)
- [knots\\_to\\_speed](#), [19](#), [25](#)
- [loveland](#), [21](#)
- [lyon](#), [21](#)
- [metric\\_to\\_inches](#), [17](#), [22](#)
- [newhaven](#), [23](#)
- [norfolk](#), [23](#)
- [puravida](#), [24](#)
- [speed\\_to\\_knots](#), [20](#), [24](#)
- [suffolk](#), [25](#)
- [weathermetrics](#), [26](#)
- [weathermetrics-package](#)  
([weathermetrics](#)), [26](#)